

Get blazing fast printing speeds, high-volume scanning, and easy management with LaserJet Pro.

This printer is built for maximum productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.





Highlights

- Instant Ink for Laser available
- · HP Wolf Pro security
- · Automatic two-sided printing standard
- Fast print speed (40 ppm A4)
- High monthly duty cycle (80,000 pages)
- Dual-band WiFi®, Bluetooth® LE, WiFi® Direct
- 50 sheet ADF with single-pass, two-sided scanning



















Maximum productivity.

- Support your dynamic workteam with this high-speed smart printer, ideal for up to 10 users.
- Step up your workflow with HP Pro-class maximum print speed to meet high-demand environments.
- Scan both sides with a single pass. Dual-sided scanning allows your users to get more done in less time.
- Get productivity in the palm of your hand. Print, scan and get time-saving Shortcuts with HP Smart app. ²

Seamless management.

- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite
 of features. 4
- Set up your printers quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Access your printers from a single dashboard. Smart Admin guides you through setup and gives IT visibility.³
- Avoid interruptions with Wi-Fi[®] that intelligently looks for the best connection to stay on-line.

HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Set up your printer security from the dashboard. Smart Admin makes IT configuration and monitoring easy.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Set configuration policies and validate settings universally with HP Security Manager.⁶

Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery and recycling. 7,8,9
- Never run out of toner with Instant Ink for laser.¹⁰
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated bill.⁹
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time.¹¹

Product walkaround

- 1. Designed for workteams of up to 10 users
- 2. Pre-configured security settings
- 3. Walk-up USB
- 4. Automatic 2-sided printing
- 5. Hi-speed USB ports, built-in Gigabit Ethernet
- 6. Print speeds up to 40 ppm (A4), 350-sheet standard paper capacity



Accessories, Supplies and Support

Supplies	W1490A HP 149A Black Original LaserJet Toner Cartridge (Average cartridge yields 2,900 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1490X HP 149X High Yield Black Original LaserJet Toner Cartridge (Average cartridge yields 9,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
Accessories	D9P29A HP LaserJet Pro 550-sheet Feeder Tray
Service and Support	U42TZE - HP 3 year Next Business Day Service for LaserJet Pro MFP 410x U42U8PE - HP 1 year Post Warranty Next Business Day Service for LaserJet Pro MFP 410x

Technical specifications

	HP LaserJet Pro MFP 4102fdw Printer
Model Product number	
Functions Functions	27624F
Control panel	Print, copy, scan, fax 2.7" Color Touchscreen
Print	2.7 Culoi loudiscieen
Print technology	l aser
Print speed ¹	Black (A4, normal): Up to 40 ppm; Black (A4, duplex): Up to 34 ipm
First page out ²	Black (A4, ready): As fast as 6.3 sec; Black (A4, sleep): As fast as 8.8 sec
Print resolution	Black (best): Fine Lines (1200 x 1200 dpi); Technology: HP FastRes 1200, HP ProRes1200, Economode
Monthly duty cycle	Up to 80,000 pages A4; Recommended monthly page volume: 750 to 4,000
Printer smart software features ³	Auto duplex and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types
Standard print languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster
Fonts and typefaces	84 scalable TrueType fonts
Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 347.1 mm
Duplex printing	Automatic (default)
Copy	Black (A4): Up to 38 cpm
Copy speed	Discus (New, Dp. 10.3 or p. pri) Discus (New, Dp.
Copier specifications	Defaults, Maximum number of copies; Visiting 1999 copies, Reduce/Enlarge: 25 to 400%
Scan	
Scan speed ⁴	Normal (A4): Up to 29 ppm/46 ipm (b&w), up to 20 ppm/34 ipm (color) ;Duplex (A4): Up to 46 ipm (b&w), up to 34 ipm (color)
Scan file format	PDF, JPG, TIFF
Scanner specifications	Scanner type Flatbed, ADF; Scan technology. Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA; Twain version: Version 2.3; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 1200 x 1200 dpi
Scanner advanced features	Copy preview
Recommended monthly scan	
volume	750 to 4000
Scannable area	Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 102 x 152 mm Maximum media size (ADF): 216 x 356 mm
Bit depth/ Grey scale levels	24-bit/256
Fax	Yes. 33.6 kbps
Fax Fax specifications	selective step
· · ·	Fax memory: Up to 400 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 200 numbers Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctive ring detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting; Print fax
Fax smart software features	Add tax leads to the containing, belayed sending, fax forwarding, man interface, both bother, bisinictive ming detection, cover page, block tax, bitting codes, save and door, fax activity reports, bisi prefix setting, min tax log; HP Digital Fax
Processor speed	1200 MHz
Connectivity	
Standard	1 Hi-Speed USB 2.0; 1 rear host USB; 1 Front USB port; Gigabit Ethernet LAN 10/100/1000BASE-T network; 802.3az(EEE); 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio + BLE
Mobile printing capability	Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing
Supported network protocols	TCP/IP, IPv4, IPv5; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Apple AirPrint: "Mopria, IPP Print: Discovery: SLP, Bonjour, Web Services Discovery: IP Config: IPv4 (BootP, DHCP, AutolP, Manual), IPv6 (Stateless Link-Local and via Route; Statefeld Livid and LPCP), SSL Security and Certificate management; Management: SMMPV1, SMMPV2, SMMPV3, HTTP/HTTPS, Syslog, ETP FV Download
Network capabilities	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X
Hard disk	No No
Memory	Standard: 512 MB; Maximum: 512 MB
Media handling	
Number of paper trays	Standard: 2; Maximum: 3
Media types	Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;
Media size	Custom (metric). Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2. 3: 10.4 9 x 148.59 to 215.9 x 355.6 mm Supported (metric). Tray 1: A4: A5: A6: B5 (UIS): Oftici (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); 16K (197 x 273 mm); 16K (195 x 340 mm); 16K (195 x 270 mm); 16K (195
Media handling	Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets
Media weight	Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m²
Input capacity	riay i. 60 to 200 g/m², itay 2, optional 550-sheet tray 5. 60 to 120 g/m²
	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets
Output capacity	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets
Compatible operating systems	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets
Compatible operating systems Compatible network operating systems	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; 10S; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 8; Windows Server; Linux; Citris; Novell
Compatible operating systems Compatible network operating	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
Compatible operating systems Compatible network operating systems	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 10; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 8; Windows Server; Linux; Citrix; Novell Windows: 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the box, only on http://www.hp.com and http://123.hp.com
Compatible operating systems Compatible network operating systems Minimum system requirements	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; Mobile 05; mac05 10.15 Catalina; mac05 11 Big Sur; mac05 12 Monterey; Chrome 05 Windows 8; Windows Server; Linux; Citrix; Novell Windows 2: GB available hard disk space; Internet connection or USB port; Internet browser. For additional 05 hardware requirements see microsoft.com; Mac 2: GB available hard drive space; Internet connection or USB port; Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the box, only on http://www.hp.com and http://123.hp.com HP Printer Assistant; HP Web JetAdmin Software: HP JetAddvantagee Security Manager; HP SIMP Proxy Agent (Part of HP Web JetAdmin); Printer Administrator Resource Kit
Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 10; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 8; Windows Server; Linux; Citrix; Novell Windows: 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the box, only on http://www.hp.com and http://123.hp.com
Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; Mobile 05; mac05 10.15 Catalina; mac05 11 Big Sur; mac05 12 Monterey; Chrome 05 Windows 8; Windows Server; Linux; Citrix; Novell Windows 2: GB available hard disk space; Internet connection or USB port; Internet browser. For additional 05 hardware requirements see microsoft.com; Mac 2: GB available hard drive space; Internet connection or USB port; Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the box, only on http://www.hp.com and http://123.hp.com HP Printer Assistant; HP Web JetAdmin Software: HP JetAddvantagee Security Manager; HP SIMP Proxy Agent (Part of HP Web JetAdmin); Printer Administrator Resource Kit
Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client Os; Android; 10S; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 8; Windows Server; Linux: Citrix; Novell Windows: 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the box, only on http://www.hp.com and http://123.hp.com HP Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Oriver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator)
Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (Wx Dx H)	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 8; Windows Server; Linux; Citrix; Novell Windows: 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the box, only on http://www.hp.com and http://123.hp.com HP Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Oriver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator) Minimum 420 x 390 x 323 mm; Maximum: 430 x 634 x 325 mm
Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; 10S; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 8; Windows Server; Linux: Citrix; Novell Windows: 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the box, only on http://www.hp.com and http://123.hp.com HP Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Oriver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator) Minimum 420 x 390 x 323 mm; Maximum: 430 x 634 x 325 mm 12.6 kg Temperature: 10 to 32.5°C Humidity: 30 to 70% RH Temperature: -20 to 40°C
Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; Mobile 05; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome 05 Windows 8; Windows Server; Linux; Citrix; Novell Windows 2: GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2: GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the box, only on http://www.hp.com and http://123.hp.com HP Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent (Part of HP Web JetAdmin); HP WS Pro Proxy Agent (Part of HP Web JetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Oriver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator) Minimum 420 x 390 x 323 mm; Maximum: 430 x 634 x 325 mm 12.6 kg Temperature: 10 to 32.5°C Humidity. 30 to 70% RH Temperature: 20 to 40°C Acoustic power emissions: 6.7 B(A) Acoustic pressure emissions: 54 dB(A)
Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; 10S; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 8; Windows Server; Linux: Citrix; Novell Windows: 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the box, only on http://www.hp.com and http://123.hp.com HP Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Oriver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator) Minimum 420 x 390 x 323 mm; Maximum: 430 x 634 x 325 mm 12.6 kg Temperature: 10 to 32.5°C Humidity: 30 to 70% RH Temperature: -20 to 40°C
Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; Mobile 05; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome 05 Windows 8; Windows Server; Linux; Citrix; Novell Windows 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional 05 hardware requirements see microsoft.com; Mac 2 GB available hard dirk space; Internet connection or USB port; Internet browser. For additional 05 hardware requirements see microsoft.com; Mac 2 GB available hard dirk space; Internet connection or USB port; Internet browser. For additional 05 hardware requirements see microsoft.com; Mac 2 GB available hard dirk space; Internet connection or USB port; Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the box, only on http://www.hp.com and http://lz3.hp.com HP Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); HP WS Pro Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Oriver; Deployment Utility - Managed Printing Administrator) Minimum 420 x 390 x 323 mm; Maximum: 430 x 634 x 325 mm 12.6 kg Temperature: 10 to 32.5°C Humidity: 30 to 70% RH Temperature: 20 to 40°C Acoustic power emissions: 6.7 B(A) Acoustic pressure emissions: 54 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); Consumption: 510 watts (active printing), 7.5 watts (seedy), 0.9 watts (sleep), 0.9
Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 10; Windows 7; Windows Client OS; Android; 10S; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 8; Windows Server; Linux: Citrix; Novell Windows: 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the box, only on http://www.hp.com and http://123.hp.com HP Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator) Minimum 420 x 390 x 323 mm; Maximum: 430 x 634 x 325 mm 12.6 kg Temperature: 10 to 32.5°C Humidity: 30 to 70% RH Temperature: 20 to 40°C Acoustic power emissions: 6.7 B(A) Acoustic pressure emissions: 54 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); Consumption: 510 watts factive printing), 7.5 watts (ready), 0.9 watts (sleep), 0.9 watts (Auto Off/Wake on LAN, enabled at shipment), 0.06 watts (Auto-off/Manual-on), 0.06 (Manual Off); Typical Electricity Consumption (TEC): 0.40 kWh/Week (Blue Angel); 0.44 kWh/Week (Energy Star 3.0); Power supply type Internal (Bulli-in) power supp
Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android: iOS; Mobile 05; mac05 10.15 Catalina; mac05 11 Big Sur; mac05 12 Monterey; Chrome 05 Windows 8; Windows Server; Linux; Citrix; Novell Windows 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional 05 hardware requirements see microsoft.com; Mac 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the box, only on http://lvww.hp.com and http://123.hp.com HP Printer Assistant; HP Web JetAdmin 50ftware; HP JetAdwardage Security Managaer; HP SMNP Proxy Agent (Part of HP WebJetAdmin); HP WS Pro Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator) Minimum 420 x 390 x 323 mm; Maximum: 430 x 634 x 325 mm 12.6 kg Temperature: 10 to 32.5 °C Humidity: 30 to 70% RH Temperature: 20 to 40°C Acoustic power emissions: 6.7 B(A) Acoustic pressure emissions: 54 dB(A) Requirements: 220-volt input voltage; 220 to 240 VAC (vf. 10%), Solfon Hz (vf. 2 Hz); Consumption: 510 watts factive printing), 7.5 watts (ready, 0,9 watts (sleep), 0,9 watts (sle
Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications Country of origin	Tray 1: Sheets: 100: Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 12: Windows 12: Windows 7: Windows 7
Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications	Tray 1: Sheets: 100: Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 12; Windows 72; Windo
Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications Country of origin	Tray 1: Sheets: 100: Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 12: Windows 12: Windows 7: Windows 7

Footnotes

- ¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at www.hpsmart.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores.
- ³ Easy setup and manage Requires use of Smart Admin Dashboard for printer setup and onboarding of users.
- ⁴ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps). Internet access required and must be purchased separately.

 6 HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
- Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.
- ⁸ Save up to 50% on toner (mono) Based on monthly subscription cost of HP Instant Ink monochrome toner service 1,500 page plan without purchase of additional sets of pages compared to cost per page to print ISO/IEC 24711 pages on most in-class, traditional A4 monochrome toner cartridge printers <€494 and MFPs priced <€672 using original standard-capacity integrated cartridges (toner and drum in one cartridge). Average CPP per country used to determine percent savings claim versus CPP for HP Instant Ink. Sale prices not considered for this study. Printers which only use XL cartridges excluded due to non-standard hardware & supplies model. Keypoint Intelligence September 2021 study commissioned by HP, based on publicly available information as of August 18, 2021. Printers selected by market share in IDC Quarterly Hardcopy Peripherals Tracker Final Historical 2021Q2. For details: www.kevpointintelligence.com/HPInstantInk.
- 9 Automatic delivery and consolidated bill: Printers require direct connection to the Internet for program participation. Internet access sold separately.
- 10 Never run out: Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.
- 11 Change or cancel: Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.
- ⁴ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁵ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- ⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel. Please be aware that HP LaserJet Pro 4001 and MFP 4101 series products are ENERGY STAR 3.0 certified in the US and the functionally equivalent HP LaserJet Pro 4003 and MFP 4103 series meet ecolabel energy efficiency limits.
- ⁷ For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.



www.blauer-engel.de/uz219

















