

HP LaserJet Enterprise M4555 MFP series

Ideal for enterprise, medium and small business customers who want a reliable workgroup device with multifunction capabilities and market-leading management solutions to increase productivity, reduce costs and accelerate business results.





HP LaserJet Enterprise M4555 MFP



HP LaserJet Enterprise M4555h MFP



HP LaserJet Enterprise M4555f MFP



HP LaserJet Enterprise M4555fskm MFP

Enjoy productive, dependable performance with this versatile MFP.

- Stay productive with high performance speeds: print and copy at up to 52 ppm A41.
- Boost productivity get up to 2,100-sheet paper capacity for large printing jobs from this workhorse MFP². Save time with a 3-bin, 900-sheet stapling mailbox that sorts, staples and stacks3.
- Preview jobs using the pivoting colour control panel and use image preview to make adjustments to scan jobs.
- Save time with easy installation, and get exceptional value from optional high-capacity black print cartridges4.

Invest in an MFP that integrates easily into IT-managed print environments.

- Save time and money by proactively managing printing environments, and get easy setup and configuration with HP management tools like industry-leading HP Web letadmin.
- Extend the capabilities of workgroup print environments via the hardware integration pocket⁵ with a rich portfolio of easy-to-integrate solutions.
- · Easily update, manage and expand the capabilities of networked printers with HP FutureSmart Firmware.
- Make printing as mobile as you are with HP ePrint⁶.

Stay in control of sensitive information with advanced security features.

- Protect sensitive data stored on the HP MFP with the standard encrypted HP High-Performance Secure Hard
- Process jobs securely: require a PIN to retrieve print jobs, expand IP addresses on your network with IPv6 and implement network access control with IPSec.
- Create, print, scan and share sensitive business information securely via encrypted email and PDFs.
- Add optional authentication security solutions through the hardware integration pocket⁵.

ecohighlights

- Reduce energy use with Instant-on Technology and Instant-on Copy^1
- Reduce paper use by up to 50% using automatic two-sided printing

Reduce clutter and waste - scan, store and share documents digitally

NERGY STAR® qualified

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

² The 1 x 500 sheet feeder, 1 x 500 sheet feeder with cabinet and 3 x 500 sheet feeder with stand may be purchased separately for the M4555 MFP. The 3 x 500 feeder with stand may be purchased separately for the M4555 MFP.

³ The 3-bin, 900-sheet stapling mailbox can be purchased separately for the M4555 MFP, M4555h MFP and M4555f MFP.

⁴ The HP laserlet CE390X Black Print Cartridge not included; please purchase separately.

Solutions deployed through the hardware integration pocket may require additional purchase.
Requires an Internet connection to the printer. Feature works with any Internet- and email-capable device. Print time may vary. May require a firmware upgrade. For details, http://www.hp.com/go/ePrintCenter. ⁷ The HP High-Performance Secure Hard Disk not included on the HP Laserlet Enterprise M4555 MFP; only available through upgrade.

Product walkaround

- 1) Intuitive 20.5 cm HP Easy Select pivoting touch screen color control panel
- 2) Walkup USB port
- 3) Hardware Integration Pocket for solution integration
- 4) 900-sheet 3-bin stapling mailbox
- 5) Built-in automatic two-sided printing
- 6) Four 500-sheet input trays for a 2, 100-sheet total input capacity
- 7) 50-sheet ADF scanner processes two-sided documents. Plate-glass scanner handles documents up to legal size (216 x 356 mm)
- 8) Top cover release lever allows convenient access to the toner cartridge
- 9) 100-sheet multipurpose tray 1 handles heavy custom media up to 200 g/m2 (53 lb bond)
- 10) Hi-Speed USB 2.0 port
- 11) Access port for optional Kensington-style lock
- 12) HP Jetdirect Gigabit Ethernet embedded print server
- 13) 1280 MB total memory and an 800 MHz processor quickly handle complex print jobs
- 14) Embedded HP Secure High Performance Hard Disk
- 15) One open EIO slot
- 16) RJ-11 fax port



Series at a glance



HP LaserJet Enterprise M4555 MFP

- HP Laserlet Enterprise M4555 MFP: print and copy speed of up to 52
- up to 1200 x 1200 dpi (with HP FastRes 1200)
- 1280 MB RAM
- 800 MHz processor
- Solid State Drive (SSD)
- 1 Hi-Speed USB 2.0 Host port
- 1 Hi-Speed USB 2.0 Device port
- 1 Gigabit Ethernet 10/100/1000Base-TX network port
- 1 open EIO slot
- 1 Fl port
- 1 Hardware Integration Pocket
- 3 Internal USB Host ports
- 100-sheet multipurpose tray
- one 500-sheet input tray
- 50-sheet Automatic Document Feeder (ADF)
- automatic two-sided printing



HP LaserJet Enterprise M4555h MFP

• HP Laserlet Enterprise M4555h MFP: • HP Laserlet Enterprise M4555f MFP: as base MFP plus HP Secure High Performance Hard Disk (AES-128 encryption, Secure Erase)



HP LaserJet Enterprise M4555f MFP

- as base MFP plus HP Secure High Performance Hard Disk (AES-128 encryption, Secure Erase)
- built-in analogue fax accessory, fax speed up to 33.6 kbps
- 1 x 500-sheet paper feeder with cabinet



HP LaserJet Enterprise M4555fskm MFP

- HP Laserlet Enterprise M4555fskm MFP: as base MFP plus HP Secure High Performance Hard Disk (AES-128 encryption, Secure Erase)
- built-in analogue fax accessory, fax speed up to 33.6 kbps
- 3-bin, 900-sheet stapling mailbox
- 3 x 500-sheet paper feeder with stand

Recommended accessories



HP LaserJet 75-sheet Envelope

HP Laserlet Envelope Feeders

make business mailing simple,

envelopes including up to 75

directly to various sizes of

Monarch to B5-sized

efficient and professional. Print

CE399A

envelopes.

Feeder



HP LaserJet MFP Analog Fax

Improve workteam productivity

and make information sharing

more efficient. Simply add

LaserJet MFP¹ to send and receive documents quickly,

embedded analog fax functionality to your HP

easily and securely.

CC487A

Accessory 500



Mailbox

CE736A HP 900-sheet 3-bin Stapling

output bins mean less need to

monitor the MFP.

HP Staple Cartridge Refill HP Staple Cartridge Refills give you more for your money and ensure you don't have to worry Improve workflow management and accommodate multiple users easily with the HP about frequent cartridge 900-sheet 3-bin Stapling Mailbox. Convenient, replacement. Each refill contains 5000 staples. automatic job stapling and sorting saves time. Additional

C8091A



CE735A

HP LaserJet 3x500-sheet Paper Feeder with Stand

Enhance productivity with three integrated paper trays that deliver flexible media options from 5.8×8.3 to 8.5×14 inch and included stand.



CE734A HP LaserJet 1x500-sheet Paper Feeder with Cabinet

Enhance productivity with a paper tray that delivers flexible media options from 5.8 x 8.3 to 8.5 x 14 inch and includes a cabinet.

Ordering information



HP LaserJet Enterprise M4555 MFP(CE502A)

HP LaserJet Enterprise M4555 MFP; 100-sheet multipurpose tray; 500 sheet input tray; HP Jetdirect Gigabit Ethernet embedded print server; Solid State Drive (SSD); HP LaserJet Toner cartridge standard capacity; CD with software and documentation; Documentation (Hardware Install Guide, Support flyer, Wall poster); power cord



HP LaserJet Enterprise M4555h MFP (CE738A)

HP LaserJet Enterprise M4555h MFP (100-sheet multipurpose tray; 500 sheet input tray; HP Jetdirect Gigabit Ethernet embedded print server; HP Secure High Performance Hard Disk); HP LaserJet Toner cartridge standard capacity; CD with software and documentation; Documentation (Hardware Install Guide, Support flyer, Wall poster); power cord

Supplies



HP LaserJet Enterprise M4555f MFP (CE503A)

HP LaserJet Enterprise M4555f MFP (100-sheet multipurpose tray; 500 sheet input tray; HP Jetdirect Gigabit Ethernet embedded print server; HP Secure High Performance Hard Disk); HP LaserJet Toner cartridge standard capacity; 1×500 paper feeder with cabinet; HP Analog fax accessory 500 (built-in); CD with software and documentation; Documentation (Hardware Install Guide, Support flyer, Wall poster); power cord; phone cord



HP LaserJet Enterprise M4555fskm MFP (CE504A)

HP LaserJet Enterprise M4555fskm MFP (100-sheet multipurpose tray; 500 sheet input tray; HP Jetdirect Gigabit Ethernet embedded print server; HP Secure High Performance Hard Disk); HP LaserJet Toner cartridge standard capacity; 3 x 500 paper feeder with stand; 900-sheet, 3-bin stapling mailbox; HP Analog fax accessory 500 (built-in); CD with software and documentation; Documentation (Hardware Install Guide, Support flyer, Wall poster); power card: phone card power cord; phone cord

Accessories, Supplies and Support

Accessories				
CE399A	HP LaserJet 75-sheet Envelope Feeder			
CC487A	HP LaserJet MFP Analog Fax Accessory 500			
CE736A	HP 900-sheet 3-bin Stapling Mailbox			
C8091A	HP Staple Cartridge Refill			
CE735A	HP LaserJet 3x500-sheet Paper Feeder with Stand			
CE734A	HP LaserJet 1x500-sheet Paper Feeder with Cabinet			
CE737A	HP LaserJet 500-sheet Paper Feeder			
Connectivity				
J7934G	HP Jetdirect 620n Fast Ethernet Print Server			
J7961G	HP Jetdirect 635n IPv6/IPsec Print Server			
J8021A	HP Jetdirect ew2500 802.11b/g Wireless Print Server			

Supplies	
CE731A	HP LaserJet CE731A 110V Maintenance Kit 225,000 pages
CE732A	HP LaserJet CE732A 220V Maintenance Kit 225,000 pages
CE248A	HP LaserJet MFP ADF Maintenance Kit
CE390A	HP 90A Black Original LaserJet Toner Cartridge Average cartridge yields 10,000 standard pages. Declared yield based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
CE390X	HP 90X High Yield Black Original LaserJet Toner Cartridge Average cartridge yields 24,000 standard pages. Declared yield based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

Service & support

HN909E HP 3 year Next Business Day LaserJet M4555MFP Hardware Support HN911E HP 3 year 4 hour 13x5 LaserJet M4555MFP Hardware Support HP557E HP 5 year Next Business Day LaserJet M4555 MFP Hardware

Support
HP562E HP 4 year Next Business Day LaserJet M4555 MFP Hardware

Support HP564PE HP 2 year Post Warranty Next Business Day LaserJet M4555MFP Support HP567PE HP 1 year Post Warranty Next Business Day LaserJet M4555MFP

Support HP566PE HP 1 year Post Warranty 4 hour 13x5 LaserJet M4555MFP

Support

For a complete list of supplies, accessories and services, please refer tohttp://www.hp.com
For workflow, device management and other solutions, please visit the Global Solutions catalog: www.hp.com/go/gsc

Declared yield value for black cartridge in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies

Count on dependable support to create the best image possible. We can help you enhance your printing and imaging environment, protect your IT investment, and grow your business—with expert support that's affordable, personal, and tailored to your needs through HP Care Pack Services.



Technical specifications

time (FCOT). Measured using ISO/IEC 24734,	the system configuration, software application, driver and docu excludes first set of test documents. For more information see ht		A firmware upgrade may be required to realise stated first copy ou					
Exact speed varies depending or time (FCOT). Measured using ISO/IEC 24734, software application, driver, and 800 MHz. Intel® LE80578	excludes first set of test documents. For more information see ht		A firmware upgrade may be required to realise stated first copy ou					
time (FCOT). Measured using ISO/IEC 24734, software application, driver, and 800 MHz. Intel® LE80578	excludes first set of test documents. For more information see ht		A firmware upgrade may be required to realise stated first copy of					
Measured using ISO/IEC 24734, software application, driver, and 800 MHz. Intel® LE80578								
software application, driver, and 800 MHz. Intel® LE80578		tn://www.hn.com/go/printerclaim	time (FCOT). Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration,					
800 MHz. Intel® LE80578	measured using ISO/IEC 24/34, excludes that set or test adcuments. For more information see http://www.np.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.							
1260 MB. Nor expanatanie M4555 MFP; Standard, Solid State Drive (SSD); Optional, HP High-Performance Secure Hard Disk (J8019A); M4555h MFP; Standard, embedded HP High-Performance Secure Hard								
M4555 MPF: Standard, Solid Brive (SDD); Optional, off in high-renormance Secure hard Disk (AES-128 encryption, Secure Erase); M4555f MPP: Standard, embedded HP High-Performance Secure Hard Disk (AES-128 encryption, Secure Erase); M4555fskm MFP: Standard, embedded HP High-Performance Secure Hard Disk (AES-128 encryption, Secure Erase)								
Quality	HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi; HP Pro	Res 1200 (1200 x 1200 dpi)						
Resolution	Black: Up to 1200 x 1200 dpi	1,						
Printer languages	HP PCL 6, HP PCL 5c (HP PCL 5c driver available from the W							
Typefaces/fonts	105 internal TrueType fonts scalable in HP PCL, 92 internal sc	calable fonts in HP postscript Level 3	3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andal					
	Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulging available to their Visual by a control (AssertIefons).							
Duty cycle (monthly, A4)								
Recommended monthly page								
volume								
Print margins (mm)	Top: 3.4 mm. Left: 3.1 mm. Right: 3.5 mm. Bottom: 5.1 mm							
	33.6 kbps							
	Telecom: ES 203 021, R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe), FCC Part 68, other Telecom approvals as required by individual countrie							
	Standard: 204 x 98 dpi. Fine: 204 x 196 dpi. Superfine: 300 x 300 dpi. Photo: Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)							
		II LICE DEC TIFE LATIFE !	VDC DDE/A D : . f					
rile formats		aik-up USB: PDF, JPEG, TIFF, MTIFF, A	APS, PDF/A; Print from walk-up USB: PDF, PS, Print Ready files (.pri					
Features		B drive: Send to FTP: Send to LAN	Fax: Send to Internet Fax. Optional: Optional via HP Digital					
redicies								
Type		,,	, , ,					
Bit depth	30-bit							
Grey scale levels 256								
		16 x 356 mm						
	Up to 600 x 600 dpi (flatbed), up to 600 x 300 dpi (ADF)							
		Weight	Size					
			A4; A5; A6; B5 (JIS); B6 (JIS); envelopes (C5, B5, C6, E					
, .		30 10 200 g/	ISO); Postcard; Dpostcard					
Tray 2	Sheets (75 g/m²): 500	60 to 120 g/m ²	A4; A5; B5 (JIS); 16K					
Tray 3	Sheets (75 g/m²): 500	60 to 120 g/m ²	A4; A5; B5 (JIS); 16K					
		60 to 120 g/m ²	A4; A5; B5					
			15 1 1 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
1 Hi-Speed USB 2.0 Host port; 1 Hi-Speed USB 2.0 Device port; 1 Gigobil Ethernet 10/100/1000T network port; 1 open EIO slot; 1 Foreign Interface port; 1 Hardware Integration Pocket; 3 International Control of the Con								
USB Host ports. Optional: HP Jetdirect 635n IPv6/IPsec Print Server J7961G; HP Jetdirect 690n IPv6/IPsec 802.11g Wireless Print Server J8007G; HP Jetdirect ew2500 802.11b/g Wireless Print Server J8071A								
	us Vista Windows XP (SP2 or higher) Windows Songer 2008 o	and 2008 P2 Edition (64-bit only)	Windows Soniar 2003: Mac OS X v 10.5 or higher: For latest					
Windows 8, Windows 7, Windows Vista, Windows XP (SP2 or higher), Windows Server 2008 and 2008 R2 Edition (64-bit only), Windows Server 2003; Mac OS X v 10.5 or higher; For latest support: Citrix and Windows Terminal Services (see hp.com/go/upd); Novell (see novell.com/iprint for latest support); Linux (see hplip.net); UNIX (see hp.com/go/unix, hp.com/go/unixmodelscripts,								
support: Clinix and vinidows tertilinal services (see np.com/go/ upg), novell (see np.com/go/ pign), in cliest support), unux (see np.lom/go/ your, go, your								
http://www.hp.com/go/lin4555mfg.software								
		Windows Server 2008; operatina s	system compatible hardware system requirements, see microsoft.cor					
disk space								
Windows® print driver (HP PCL 6 discrete), SNP alerts, Mac print driver, Installation software on CD-ROM for Windows® and Mac. Drivers on the web:Windows® Printing system; PCL 6 discrete								
driver only; UPD PCL 6; UPD PCL 5, UPD PCstscript; HP Web Jetadmin; HP PC Send Fax Driver; HP Save-to-Folder setup wizard; HP Send-to-Email setup wizard; Mac driver; Linux driver; UNIX® model								
20.5 cm HP Easy Select colour control panel; rotating (adjustable angle) Touchscreen; job control buttons (Start, Stop, Sleep, Reset, Clear, Brightness Up/Down); numeric keypad; LED status lights								
Requirements:Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Consumption: 960 watts (Active printing), 1024 watts (Copying), 54 watts (Ready), 21.6 watts (Sleep), 0.15 watts								
Requirements:Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Consumption:960 waits (Active printing), 1024 waits (Copying), 54 waits (Ready), 21.6 waits (Sleep), 0.15 waits (Off). Typical Electricity Consumption (TEC): 7.349 kWh/Week. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the								
Out of package:M4555 MFP: 790 x 510 x 570 mm; M4555h MFP: 790 x 510 x 570 mm; M4555f MFP: 825 x 710 x 1115 mm; M4555fskm MFP: 1015 x 710 x 1115 mm. Packaged:M4555								
MFP: 738 x 663 x 735 mm; M4555f MFP: 738 x 663 x 735 mm; M4555f MFP: 856 x 760 x 1335 mm; M4555f km MFP: 856 x 760 x 1315 mm; MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315 mm; M4555f km MFP: 856 x 760 x 1315								
Out of package: M4555 MFP: 52.3 kg; M4555h MFP: 52.5 kg; M4555f MFP: 75.0 kg; M4555fkm MFP: 87.5 kg. Packaged: M4555 MFP: 61.37 kg; M4555h MFP: 61.37 kg; M4555h MFP: 99.5								
Girl of package in Measurement 22.5 kg, Measurement 22.5 kg, Measurement 25.5 kg, Measurement								
HP Web Jetadmin; HP Embedded Webserver								
11 Web Jeadmin, 11 Embedded Vebseed Vebsee 1 Management security: SNMPV3, SSL/TLS, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication;								
Support for WJA-10 IPsec Configuration using IPsec Plug-in; Compatible with HP Imaging & Printing Security Center								
Operating temperature: 10 to 30° C . Recommended operating temperature: 15 to 27° C . Operating humidity: 10 to 80% RH . Operating humidity recommended: 30 to 70% RH . Storage								
temperature: 0 to 35° C . Storage humidity: 10 to 90% RH								
CISPR 22: 2005+A1/EN 55022: 2006+A1 Class A, EN 61000-32: 2006, EN 61000-33: 2008, EN 55024: 1998+A1+A2, FCC Title 47 CFR, ICES-003, Issue 4, GB9254-2008, EMC Directive								
2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries. Regulatory standards:IEC 60950-1: 2005 (International), EN 60950-1: 2006 +A111 (EU), GS								
license (Europe), IEC 60825-1: 2007 (International), EN 60825-1: 2007 (Class 1 Laser/LED Device), Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries. ENERGY STAP vs.								
	Typefaces/fonts Duty cycle (monthly, A4) Recommended monthly page volume Print margins (mm) Modem speed Telecom compliance Fax resolution Quick dialing File formats Features Type Scan resolution Bit depth Grey scale levels Scannable area Margins for scanned items Copy speed Copy resolution Multiple copies Reduce/enlarge Input: Tray 1 Tray 2 Tray 3 ADF Duplex printing: Automatic (stande Raper (plain, light, bond, recyclee 1 Hi-Speed USB 2.0 Host port; 1 USB Host ports. Optional: HP Jets Server 1802 1A Windows 8, Windows 7, Windos support: Citrix and Windows Terr and hp.com/go/jetdirectunix_sof http://www.hp.com/go/jin4555 Windows 8, Windows 7, Windo system requirements; 200 MB ave disk space Windows® print driver (HP PCL 6; UPD PCL scripts; HP Print View 20.5 cm HP Easy Select colour active only; UPD PCL 6; UPD PCL scripts; HP Print View 20.5 cm HP Easy Select Colour active only; UPD PCL 6; UPD PCL scripts; HP Print View 20.5 cm HP Easy Select Colour active only; UPD PCL 6; UPD PCL scripts; HP Print View 20.5 cm HP Easy Select Colour active only; UPD PCL 6; UPD PCL scripts; HP Print View 20.5 cm HP Easy Select Colour active only; UPD PCL 6; UPD PCL scripts; HP Print View 20.5 cm HP Easy Select Colour active only; UPD PCL 6; UPD PCL scripts; HP Print View 20.5 cm HP Easy Select Colour active only; UPD PCL 6; UPD PCL scripts; HP Print View 20.5 cm HP Easy Select Colour active only; UPD PCL 6; UPD PCL scripts; HP Print View 20.5 cm HP Easy Select Colour active only; UPD PCL 6; UPD PCL scripts; HP Print View 20.5 cm HP Easy Select Colour active only; UPD PCL 6; UPD PCL scripts; HP Print View 20.5 cm HP Easy Select Colour active only; UPD PCL 6; UPD PCL scripts; HP Print View 20.5 cm HP Easy Select Colour active only; UPD PCL 6; UPD PCL scripts; HP Print View 20.5 cm HP Easy Select Colour active only active onl	Typefaces/fonts 105 internal Truetype fonts scalable in HP PCL, 92 internal six and PDS Emulation available at http://www.hp.com/go/las and IPDS Emulation available at http://www.hp.com/go/las boltone power and IPDS Emulation available at http://www.hp.com/go/las boltone power and IPDS Emulation available at http://www.hp.com/go/las 5000 to 20000 105 3.4 mm. Left: 3.1 mm. Right: 3.5 mm. Bottom: 5.1 mm. Briat margins (mm) 106 3.6 kbps 109 3.4 mm. Left: 3.1 mm. Right: 3.5 mm. Bottom: 5.1 mm. Briat compliance 108 face compliance 108 face compliance 108 face compliance 108 face compliance 109 face compliance 109 face compliance 109 face compliance 109 face compliance 100 face c	10.5 internal Truel/type fonts scalable in HP PCL, 92 internal staclable fonts in HP postscript Level 5 Mone WorldType; 2 Internal Windows Vista B Font (Collbri, Cambrib); additional font solution and IPDS Emulation available at http://www.hp.com/go/laserjeifonts Up to 250000 pages 5000 to 20000 volume Print margins (mm) Top: 3.4 mm. Left: 3.1 mm. Right: 3.5 mm. Bottom: 5.1 mm Top: 3.4 bps 1000 to 20000 volume Print margins (mm) Top: 3.4 mm. Left: 3.1 mm. Right: 3.5 mm. Bottom: 5.1 mm Top: 3.4 bps 1000 to 20000 volume Print margins (mm) Top: 3.4 mm. Left: 3.1 mm. Right: 3.5 mm. Bottom: 5.1 mm Top: 3.4 bps 1000 to 20000 volume Print margins (mm) Top: 3.4 mm. Left: 3.1 mm. Right: 3.5 mm. Bottom: 5.1 mm Top: 3.4 mm. Left: 3.1 mm. Right: 3.5 mm. Bottom: 5.1 mm Top: 3.4 mm. Left: 3.1 mm. Right: 3.5 mm. Bottom: 5.1 mm Top: 3.4 mm. Left: 3.1 mm. Right: 3.5 mm. Bottom: 5.1 mm Top: 3.4 mm. Left: 3.1 mm. Right: 3.5 mm. Bottom: 5.1 mm Top: 3.4 mm. Right: 3.5 mm. Botto					

http://www.hp.com/uk











