# eDatasheet HP 712 38-ml Black DesignJet Ink Cartridge (3ED70A)



## HP 712 Ink Cartridge, black (38 ml)

You're ready to meet every last-minute deadline with Original HP Bright Office Inks designed to fit the way you work by performing reliably, maximizing printhead life, and helping ensure HP warranty protection.



#### Outstanding line quality, details, and letters

Prevent miscommunication—get outstanding patterns and line quality, with up to 31% more accurate lines.[1]

## Bright and distinguishable colors

See distinct color/features on maps, plans with brightest dye-based color inks, with up to 65% more gamut.[4]

## Durable/reliable performance, and recyclable[6]

100-year plain-paper archivability[7] and ISO certified HP Permanent and Water-resistant Black Ink.[8]

# Specifications

Ink typesPigment-basedColor(s) of printing suppliesBlackPrint TechnologyInkSupply typeCartridgesPrint cartridge volume delivered38 mlOperating temperature range5 to 35°CStorage temperature range-40 to 60°COperating humidity range10 to 90% RHNon-Operating Humidity Range10 to 90% RHPrint Resolution TechnologisTIJ 4.0Print Resolution TechnologisTJ 4.0Print Resolution TechnologisTJ 4.0Quantity per pallet4800Count per unit1Case or master carton quantity40Quantity per pallet4800Count of carton in pallet120UPC number193905352845Pallet barcode20193905352849Minimum dimensions (W x D x H)119 x36 x 126 mmMinimum dimensions (W x D x H)119 x36 x 126 mmPackage dimensions (W x D x H)134 x 256 x 181 mmCase or master carton dimensions (W x D x H)1219.2 x 1016 x 156 mmPallet dimensions (W x D x H)1219.2 x 1016 x 156 mmPallet dimensions (W x D x H)1219.2 x 1016 x 1956 mmPallet dimensions (W X D x H)1219.2 x 1016 x 1956 mmPallet dimensions (W X D x H)1219.2 x 1016 x 1956 mmPallet dimensions (W X D x H)1219.2 x 1016 x 1956 mmPallet dimensions (W X D x H)1219.2 x 1016 x 1956 mmPallet dimensions (W X D x H)1219.2 x 1016 x 1956 mmPallet dimensions (W X D x H)1219.2 x 1016 x 1956 mm		
Print TechnologyInkSupply typeCartridgesPrint cartridge volume delivered38 mlOperating temperature range5 to 35°CStorage temperature range-40 to 60°COperating humidity range10 to 90% RHNon-Operating Humidity Range10 to 90% RHPrint Resolution TechnologiesTIJ 4.0Print Resolution TechnologiesTIJ 4.0Up and the resolution TechnologiesTIJ 4.0Quantity per yallet40Quantity per pallet400Count of carton in pallet120UPC number193905352845Pallet barcode20193905352845Pallet barcode20193905352849Minimum dimensions (W x D x H)119 x 36 x 126 mmPackage dimensions (W x D x H)4.69 x 1.42 x 4.96 inPackage dimens	Ink types	Pigment-based
Supply typeCartridgesPrint cartridge volume delivered38 mlOperating temperature range5 to 35°CStorage temperature range-40 to 60°COperating humidity range10 to 90% RHNon-Operating humidity Range10 to 90% RHPrint Resolution TechnologiesTIJ 4.0Printing Material Shelf Life18 monthsCompatibilityHP Design Jet T210, T230, T250, T630, T650 Printer seriesProduct count per unit1Case or master carton quantity40Quantity per pallet4800Count of carton in pallet120UPC number193905352845Pallet barcode20193905352845Pallet barcode20193905352849Minimum dimensions (W x D x H)119 x 36 x 126 mmMinimum dimensions (W x D x H)4.69 x 1.42 x 4.96 inPackage dimensions (W x D x H)4.69 x 1.42 x 4.96 inCase or master carton dimensions (W x D x H)114 x 256 x 181 mmCase or master carton dimensions (W x D x H)12.36 x 10.08 x 7.13 inPallet dimensions (W x D x H)1219.2 x 1016 x 1956 mm		Black
Print cartridge volume delivered38 mlOperating temperature range5 to 35°CStorage temperature range-40 to 60°COperating humidity range10 to 90% RHNon-Operating Humidity Range10 to 90% RHPrint Resolution TechnologiesTU 4.0Printing Material Shelf Life18 monthsCompatibilityHP DesignJet T210, T230, T250, T630, T650 Printer seriesProduct court per unit1Case or master carton quantity40Quantity per pallet4800Count of carton in pallet120UPC number193905352845Pallet barcode20193905352849Minimum dimensions (W x D x H)4.69 x 1.42 x 4.96 inPackage dimensions (W x D x H)4.69 x 1.42 x 4.96 inPackage dimensions (W x D x H)314 x 256 x 181 mmCase or master carton dimensions314 x 256 x 181 mmPallet dimensions (W x D x H)12.36 x 10.08 x 7.13 inPallet dimensions (W x D x H)121.92 x 1016 x 1956 mm		Ink
Operating temperature range5 to 35°CStorage temperature range-40 to 60°COperating humidity range10 to 90% RHNon-Operating Humidity Range10 to 90% RHPrint Resolution TechnologiesTIJ 4.0Printing Material Shelf Life18 monthsCompatibilityHP DesignJet T210, T230, T250, T630, T650 Printer seriesProduct count per unit1Case or master carton quantity40Quantity per pallet4800Count of carton in pallet120UPC number193905352845Pallet barcode20193905352849Minimum dimensions (W x D x H)119 x 36 x 126 mmMinimum dimensions (W x D x H)4.69 x 1.42 x 4.96 inPackage dimensions (W x D x H)314 x 256 x 181 mmCase or master carton dimensions12.36 x 10.08 x 7.13 inPallet dimensions (W x D x H)1219.2 x 1016 x 1956 mm	Supply type	Cartridges
Storage temperature range-40 to 60°COperating humidity range10 to 90% RHNon-Operating Humidity Range10 to 90% RHPrint Resolution TechnologiesTIJ 4.0Printing Material Shelf Life18 monthsCompatibilityHP DesignJet T210, T230, T250, T630, T650 Printer seriesProduct count per unit1Case or master carton quantity40Quantity per pallet4800Count of carton in pallet120UPC number193905352845Pallet barcode20193905352849Minimum dimensions (W x D x H)119 x 36 x 126 mmMinimum dimensions (W x D x H)119 x 36 x 126 mmPackage dimensions (W x D x H)314 x 256 x 181 mmCase or master carton dimensions12.36 x 10.08 x 7.13 inPallet dimensions (W x D x H)1219.2 x 1016 x 1956 mm	Print cartridge volume delivered	38 ml
Operating humidity range10 to 90% RHNon-Operating Humidity Range10 to 90% RHPrint Resolution TechnologiesTIJ 4.0Printing Material Shelf Life18 monthsCompatibilityHP DesignJet T210, T230, T250, T630, T650 Printer seriesProduct count per unit1Case or master carton quantity40Quantity per pallet4800Count of carton in pallet120UPC number193905352845Pallet barcode20193905352849Minimum dimensions (W x D x H)119 x 36 x 126 mmMinimum dimensions (W x D x H)119 x 36 x 126 mmPackage dimensions (W x D x H)119 x 36 x 126 mmPackage dimensions (W x D x H)119 x 36 x 126 mmCase or master carton dimensions314 x 256 x 181 mmCase or master carton dimensions (W x D x H)121.36 x 10.08 x 7.13 inPallet dimensions (W x D x H)121.9.2 x 1016 x 1956 mm	Operating temperature range	5 to 35°C
Non-Operating Humidity Range10 to 90% RHPrint Resolution TechnologiesTIJ 4.0Printing Material Shelf Life18 monthsCompatibilityHP DesignJet T210, T230, T250, T630, T650 Printer seriesProduct count per unit1Case or master carton quantity40Quantity per pallet4800Count of carton in pallet120UPC number193905352845Pallet barcode20193905352849Minimum dimensions (W x D x H)119 x36 x 126 mmMinimum dimensions (W x D x H)119 x36 x 126 mmPackage dimensions (W x D x H)4.69 x 1.42 x 4.96 inPackage dimensions (W x D x H)314 x 256 x 181 mm(W x D x H)2.36 x 10.08 x 7.13 inPallet dimensions (W x D x H)1219.2 x 1016 x 1956 mm	Storage temperature range	-40 to 60°C
Print Resolution TechnologiesTIJ 4.0Printing Material Shelf Life18 monthsCompatibilityHP Design Jet T210, T230, T250, T630, T650 Printer seriesProduct count per unit1Case or master carton quantity40Quantity per pallet4800Count of carton in pallet120UPC number193905352845Pallet barcode20193005352849Minimum dimensions (W x D x H)119 x 36 x 126 mmMinimum dimensions (W x D x H)119 x 36 x 126 mmPackage dimensions (W x D x H)4.69 x 1.42 x 4.96 inPackage dimensions (W x D x H)314 x 256 x 181 mm(W x D x H)314 x 256 x 181 mmPallet dimensions (W x D x H)121.9.2 x 1016 x 1956 mm	Operating humidity range	10 to 90% RH
Printing Material Shelf Life18 monthsCompatibilityHP DesignJet T210, T230, T250, T630, T650 Printer seriesProduct count per unit1Case or master carton quantity40Quantity per pallet4800Count of carton in pallet120UPC number193905352845Pallet barcode20193905352849Minimum dimensions (W x D x H)119 x36 x126 mmMinimum dimensions (W x D x H)4.69 x 1.42 x 4.96 inPackage dimensions (W x D x H)4.69 x 1.42 x 4.96 inCase or master carton dimensions (W x D x H)314 x256 x 181 mm(W x D x H)12.36 x 10.08 x 7.13 inPallet dimensions (W x D x H)1219.2 x 1016 x 1956 mm	Non-Operating Humidity Range	10 to 90% RH
Compatibility     HP DesignJet T210, T230, T250, T630, T650 Printer series       Product count per unit     1       Case or master carton quantity     40       Quantity per pallet     4800       Count of carton in pallet     120       UPC number     193905352845       Pallet barcode     20193905352849       Minimum dimensions (W x D x H)     119 x 36 x 126 mm       Minimum dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Package dimensions (W x D x H)     119 x 36 x 126 mm       Package dimensions (W x D x H)     1.19 x 36 x 1.42 mm       Case or master carton dimensions (W x D x H)     1.19 x 36 x 1.42 mm       Package dimensions (W x D x H)     1.19 x 36 x 1.42 mm       Package dimensions (W x D x H)     1.19 x 36 x 1.42 mm       Case or master carton dimensions (W x D x H)     1.19 x 36 x 1.00 mm       Package dimensions (W x D x H)     2.36 x 10.08 x 7.13 in       Pallet dimensions (W x D x H)     1.219.2 x 1016 x 1956 mm	<b>Print Resolution Technologies</b>	TIJ 4.0
Product count per unit     1       Case or master carton quantity     40       Quantity per pallet     4800       Count of carton in pallet     120       UPC number     193905352845       Pallet barcode     20193905352849       Minimum dimensions (W x D x H)     119 x 36 x 126 mm       Minimum dimensions (W x D x H)     1.469 x 1.42 x 4.96 in       Package dimensions (W x D x H)     1.19 x 36 x 126 mm       Package dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Package dimensions (W x D x H)     1.19 x 36 x 126 mm       Package dimensions (W x D x H)     3.14 x 2 56 x 181 mm       Case or master carton dimensions (W x D x H)     12.36 x 10.08 x 7.13 in       Pallet dimensions (W x D x H)     12.19.2 x 1016 x 1956 mm	<b>Printing Material Shelf Life</b>	18 months
Case or master carton quantity     40       Quantity per pallet     4800       Count of carton in pallet     120       UPC number     193905352845       Pallet barcode     20193905352849       Minimum dimensions (W x D x H)     119 x 36 x 126 mm       Minimum dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Package dimensions (W x D x H)     119 x 36 x 126 mm       Package dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Case or master carton dimensions (W x D x H)     314 x 256 x 181 mm       Case dimensions (case or master carton)     1219.2 x 1016 x 1956 mm	Compatibility	HP DesignJet T210, T230, T250, T630, T650 Printer series
Quantity per pallet     4800       Count of carton in pallet     120       UPC number     193905352845       Pallet barcode     20193905352849       Minimum dimensions (W x D x H)     119 x 36 x 126 mm       Minimum dimensions (W x D x H)     119 x 36 x 126 mm       Package dimensions (W x D x H)     119 x 36 x 126 mm       Package dimensions (W x D x H)     119 x 36 x 126 mm       Package dimensions (W x D x H)     119 x 36 x 126 mm       Package dimensions (W x D x H)     119 x 36 x 126 mm       Package dimensions (W x D x H)     1.19 x 36 x 126 mm       Case or master carton dimensions (W x D x H)     314 x 256 x 181 mm       Case dimensions (case or master carton)     12.36 x 10.08 x 7.13 in       Pallet dimensions (W x D x H)     1219.2 x 1016 x 1956 mm	Product count per unit	1
Count of carton in pallet     120       UPC number     193905352845       Pallet barcode     20193905352849       Minimum dimensions (W x D x H)     119 x 36 x 126 mm       Minimum dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Package dimensions (W x D x H)     119 x 36 x 126 mm       Package dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Package dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Case or master carton dimensions (W x D x H)     314 x 256 x 181 mm       Case dimensions (case or master carton)     12.36 x 10.08 x 7.13 in       Pallet dimensions (W x D x H)     1219.2 x 1016 x 1956 mm	Case or master carton quantity	40
UPC number     193905352845       Pallet barcode     20193905352849       Minimum dimensions (W x D x H)     119 x 36 x 126 mm       Minimum dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Package dimensions (W x D x H)     119 x 36 x 126 mm       Package dimensions (W x D x H)     1.19 x 36 x 126 mm       Package dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Case or master carton dimensions (W x D x H)     3.14 x 256 x 181 mm       Case dimensions (case or master carton)     12.36 x 10.08 x 7.13 in       Pallet dimensions (W x D x H)     1.219.2 x 1016 x 1956 mm	Quantity per pallet	4800
Pallet barcode     20193905352849       Minimum dimensions (W x D x H)     119 x 36 x 126 mm       Minimum dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Package dimensions (W x D x H)     119 x 36 x 126 mm       Package dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Case or master carton dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Case or master carton dimensions (W x D x H)     314 x 256 x 181 mm       Pallet dimensions (Case or master carton)     12.36 x 10.08 x 7.13 in       Pallet dimensions (W x D x H)     1219.2 x 1016 x 1956 mm	Count of carton in pallet	120
Minimum dimensions (W x D x H)     119 x 36 x 126 mm       Minimum dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Package dimensions (W x D x H)     119 x 36 x 126 mm       Package dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Case or master carton dimensions (W x D x H)     314 x 256 x 181 mm       Case dimensions (case or master carton)     12.36 x 10.08 x 7.13 in       Pallet dimensions (W x D x H)     1219.2 x 1016 x 1956 mm	UPC number	193905352845
Minimum dimensions (W x D x H)   4.69 x 1.42 x 4.96 in     Package dimensions (W x D x H)   119 x 36 x 126 mm     Package dimensions (W x D x H)   4.69 x 1.42 x 4.96 in     Case or master carton dimensions (W x D x H)   314 x 256 x 181 mm     Case dimensions (case or master carton)   12.36 x 10.08 x 7.13 in     Pallet dimensions (W x D x H)   1219.2 x 1016 x 1956 mm	Pallet barcode	20193905352849
Package dimensions (W x D x H)     119 x 36 x 126 mm       Package dimensions (W x D x H)     4.69 x 1.42 x 4.96 in       Case or master carton dimensions (W x D x H)     314 x 256 x 181 mm       Case dimensions (case or master carton)     12.36 x 10.08 x 7.13 in       Pallet dimensions (W x D x H)     1219.2 x 1016 x 1956 mm	Minimum dimensions (W x D x H)	119 x 36 x 126 mm
Package dimensions (W x D x H)4.69 x 1.42 x 4.96 inCase or master carton dimensions (W x D x H)314 x 256 x 181 mmCase dimensions (case or master carton)12.36 x 10.08 x 7.13 inPallet dimensions (W x D x H)1219.2 x 1016 x 1956 mm	Minimum dimensions (W x D x H)	4.69 x 1.42 x 4.96 in
Case or master carton dimensions (W x D x H)   314 x 256 x 181 mm     Case dimensions (case or master carton)   12.36 x 10.08 x 7.13 in     Pallet dimensions (W x D x H)   1219.2 x 1016 x 1956 mm	Package dimensions (W x D x H)	119 x 36 x 126 mm
(W x D x H) 314 x 256 x 181 mm   Case dimensions (case or master carton) 12.36 x 10.08 x 7.13 in   Pallet dimensions (W x D x H) 1219.2 x 1016 x 1956 mm	Package dimensions (W x D x H)	4.69 x 1.42 x 4.96 in
carton)     12.36 x 10.08 x 7.13 in       Pallet dimensions (W x D x H)     1219.2 x 1016 x 1956 mm		314 x 256 x 181 mm
		12.36 x 10.08 x 7.13 in
Pallet dimensions     48 x 40 x 77.01 in	Pallet dimensions (W x D x H)	1219.2 x 1016 x 1956 mm
	Pallet dimensions	48 x 40 x 77.01 in
Case weight (case or master 4.04 kg	-	4.04 kg
Package weight ~0.09 kg	Package weight	~0.09 kg
Package weight ~0.21 lb	Package weight	~0.21 lb
Pallet weight 519.6 kg	Pallet weight	519.6 kg
Pallet weight 1145.4 lb	Pallet weight	1145.4 lb
What's in the box Ink cartridge	What's in the box	Ink cartridge
WarrantyUntil the "Warranty Ends" date has been reached or the warranted usage limit has been reached, whichever occurs first.	Warranty	Until the "Warranty Ends" date has been reached or the warranted usage limit has been reached, whichever occurs first.

## Top Recommended Displays, Accessories and Services

No Top Recommended Displays, Accessories and Services

#### **Messaging Footnotes**

[1] Up to 31% more line accuracy based on HP internal testing, September 2019 of 1 pixel vertical line straightness comparing prints from the HP DesignJet Studio/T600/T200 Printer series and Canon TM-305 Printer on plain paper using equivalent fast/draft print modes.

[4] Up to 65% more color gamut based on HP internal testing, September 2019, of gamut volume comparing prints from the HP DesignJet Studio/T600/T200 Printer series and Canon TM-305 Printer on Oce 75gsm plain paper using equivalent fast/draft print modes.

[6] Visit http://www.hp.com/recycle to see how to participate and for HP Planet Partners program features and availability; program may not be available in your area.

[7] For prints produced with pigment-based black and dye-based color HP Bright Office Inks. WIR Statement Concerning the Dark Storage Permanence of Documents Printed with HP Pigment Inks and Dye Inks on HP Bright White Inkjet Paper, October 2017. Tests conducted by Wilhelm Imaging Research, Inc. indicate that documents printed with HP pigment-based black and dye-based color inks printed on HP Bright White Inkjet Paper stored in the dark (assuming that the document is stored in a file folder, in a box, and is otherwise protected from possible ozone exposure and contact with water) will achieve WIR Dark Storage Permanence Ratings of "Greater than 100 Years." For more information, see http://www.hp.com/go/printpermanence.

[8] For prints produced with HP Permanent and Water-resistant Black Ink. HP Bright Office Inks are certified per the ISO 11798 Permanence and Durability standard, proving that prints made with compatible HP DesignJet T-series printers using Original HP Bright Office Inks withstand harsh exposure to light, water, abrasion, and handling, and long-term storage and heat, and remain legible in the future. For more information, see http://www.hp.com/go/printpermanence.

#### **Technical Specifications Footnotes**

No Technical Specifications Footnotes

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

