
# **HP LaserJet Pro MFP M227** series



# Stay a step ahead

Get more pages, performance, and protection, from an HP LaserJet Pro MFP powered by JetIntelligence Toner cartridges. Set a faster pace for your business: print two-sided documents. plus scan, copy, fax, and manage to help maximise efficiency.







HP LaserJet Pro MFP M227fdw

- Print, scan, copy and fax (M227fdn/fdw)
- Fast print speed (28 ppm A4)
- Automatic two-sided printing standard
- Scan-to email, USB and network folders (M227fdw)
- touchscreen (M227fdw)
- 35-sheet Automatic Document Feeder
- HP ePrint, Apple AirPrint
- WiFi Direct printing, NFC touch-to-print
- JetIntelligence

#### Highlights

- 2-line LCD (M227sdn/fdn) and 6.9 cm colour

- (M227fdw)



High Yield Toner Cartridge







### Fast speeds, low energy use

- Print, scan, copy, and fax with a compact multifunction laser printer that fits into tight workspaces.
- Print at the pace of business with fast two-sided printing first pages are ready in as fast as 7 seconds.2
- Help save energy with HP Auto-On/Auto-Off Technology.3
- Tackle tasks and scan to email, USB, and network folders from the 6.9 cm colour touchscreen.4

## Mobile printing made simple

- Print from iPhone® and iPad® with AirPrint®, which automatically scales jobs to the correct paper size.5
- Print from your mobile device with Wi-Fi Direct® and NFC touch-to-print technology no network needed.6,7
- Print with the ease of sending an email, right from a smartphone, tablet, or notebook, usina HP ePrint.8
- Send jobs from your smartphone, tablet, or PC to any company printer, using Google Cloud Print™ 2.0.9

# Manage company-wide printing with confidence

- Centralise control of your printing environment with HP Web Jetadmin and help build business efficiency.10
- Identify new devices and gain insight into printing with HP Web Jetadmin remote discovery and monitoring.10
- Employ policy-based, fleet-wide protection features, using optional HP JetAdvantage Security Manager.11

# HP quality - print after print

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Don't be fooled by cartridges that mimic Original HP. Help ensure you're getting the quality you paid for.
- Print over 2x more pages than standard cartridges, using optional Original HP high-yield toner cartridges.12
- Get more pages than ever before, and track remaining pages to help ensure you get what you paid for.13

# **Product walkaround**

# HP LaserJet Pro MFP M227fdw (shown with open paper tray)

- 1. 35-sheet ADF 2. Flatbed scanner handles up to 216 by 297 mm paper
- 3. 6.9 cm colour touchscreen
- 4. Easy-access USB port
- 5. Automatic two-sided printing
- 6. Fax port, Hi-Speed USB 2.0 port, Fast Ethernet network port, access port for optional lock
- 7. 100-sheet output bin
- 8. Wi-Fi Direct printing and NFC touch-to-print
- 9. Top cover access to toner cartridges
- 10. 10-sheet priority input tray
- 11. 250-sheet input tray (shown open)
  12. Built-in wireless networking (802.11b/g/n)



# Series at a glance







Model	HP LaserJet Pro MFP M227sdn	HP LaserJet Pro MFP M227fdw	HP LaserJet Pro MFP M227fdn
Product number	G3Q74A	G3Q75A	G3Q79A
Functions	Print, copy, scan	Print, copy, scan, fax	Print, copy, scan, fax
Fax	No	Yes	Yes
Print speed	Up to 28 ppm, 18 ipm duplex	Up to 28 ppm, 18 ipm duplex	Up to 28 ppm, 18 ipm duplex
Automatic two-sided printing	Automatic (standard)	Automatic (standard)	Automatic (standard)
Control panel	2-line LCD	6.9 cm touchscreen, LCD (colour graphics)	2-line LCD with Alphanumeric keypad
ADF	Yes, 35-sheets	Yes, 35-sheets	Yes, 35-sheet
Networking	Built-in Ethernet	Built-in Ethernet, Wi-Fi 802.11b/g/n	Built-in Ethernet
Mobile printing capability	HP ePrint; AirPrint 1.5 with media presence sensor; Google Cloud Print™ 2.0	HP ePrint; Wi-Fi Direct printing; AirPrint 1.5 with media presence sensor; Google Cloud Print™ 2.0; NFC touch-to-print enabled	HP ePrint; AirPrint 1.5 with media presence sensor; Google Cloud Print™ 2.0

# **Accessories, Supplies and Support**

Supplies	CF230A HP 30A Black Original LaserJet Toner Cartridge 1,600 pages			
	CF230X HP 30X High Vield Black Original LaserJet Toner Cartridge 3,500 pages			
	CF232A HP 32A Original LaserJet Imaging Drum 23,000 pages			
	<b>CHP110</b> HP Office Paper-500 sht/A4/210 x 297 mm			
	CHP310 HP LaserJet Paper-500 sht/A4/210 x 297 mm			
Service and support	UH761E HP 3 year Care Pack with Standard Exchange for LaserJet Printers UH757E HP 3 year Care Pack with Next Day Exchange for LaserJet Printers UH764E HP 3 year Care Pack with Return to Depot Support for LaserJet Printers (UH761E: all EMEA countries, except ME, Africa, South Africa, Israel, Turkey, UH757E: Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech, Greece, Hungary, Poland, Slovakia, UH764E: ME, Africa, South Africa, Israel, Turkey)			

**Technical specifications** 

Model	HP LaserJet Pro MFP M227sdn	HP LaserJet Pro MFP M227fdw	HP LaserJet Pro MFP M227fdn	
Product number	G3Q74A	G3Q75A	G3Q79A	
Functions	Print, copy, scan	Print, copy, scan, fax	1	
Control panel	2-line LCD text display; Buttons (OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu , Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention)	6.9 cm (2.7 in) touchscreen, LCD (colour graphics)	2-line LCD text display; Buttons (OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu , Start Copy, Main Setup, Redial, Alphanumeric Keypad, Start Fax); 2 light-emitting diode (LED) indicator lights (Ready, Attention)	
Print				
Print technology	Laser			
Print speed <sup>1</sup>	Black (A4, normal): Up to 28 ppm; Black (A4, duplex): Up to 18 ipm			
First page out <sup>2</sup>	Black (A4, ready): As fast as 6.4 sec; Black (A4, sleep): As fast as 7.7 sec	Black (A4, ready): As fast as 6.8 sec; Black (A4, sleep): As fast as 8.1 sec	Black (A4, ready): As fast as 6.6 sec; Black (A4, sleep): As fast as 6.8 sec	
Print resolution	Black (best): Up to 1200 x 1200 dpi; Technology: HP FastRes 1200, HP ProRes 1200			
Monthly duty cycle <sup>3</sup>	Up to 30,000 pages (A4); Recommended month	nly page volume4: 250 to 2,500		
Printer smart software features	AirPrint 1.5 with media presence sensor, Instant-on Technology, HP Auto-On/Auto-Off Technology, JetIntelligence cartridges, Duplex Printing	AirPrint 1.5 with media presence sensor, Instant-on Technology, HP Auto-On/Auto-Off Technology, JetIntelligence cartridges, Mopria-certified, Wi-Fi Direct Printing, Duplex Printing	AirPrint® , Instant-on Technology, HP Auto-On/Auto-Off Technology, JetIntelligence cartridges, Duplex printing	
Standard print languages	PCL5c; PCL6; PS; PCLmS; PDF; URF; PWG			
Fonts and typefaces	84 scalable TrueType fonts			
Print area	Print margins: Top: 4 mm, Bottom: 4 mm, Left:	4 mm, Right: 4 mm; <b>Maximum print area</b> : 206 x 3	348 mm	
Duplex printing	Automatic (standard)	-		
Сору				
Copy speed <sup>5</sup>	Black (A4): Up to 28 cpm			
Copier specifications	Number of Copies; Lighter/Darker; Optimize; Paperesolution: 600 x 600 dpi; Reduce/Enlarge: 25	per; Multi-Page Copy; Collation; Draft Mode; <b>Maxim</b> to 400%	um number of copies: Up to 99 copies; Copy	
Scan				
	T			
	Normal (A4): Up to 15 ppm		Normal (A4): Up to 12 ppm	
Scan speed <sup>6</sup> Scan file format	JPG, RAW (BMP), PNG, TIFF, PDF			
Scan file format Scanner specifications	JPG, RAW (BMP), PNG, TIFF, PDF	1.9 (Legacy OS); Version 2.1 (Windows 7 or higher);		
Scan file format Scanner specifications Scanner Advanced Features	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version (flatbed, ADF): 215.9 x 297 mm	Scan to email and network folders	Duplex ADF scanning: No; Scan size maximum	
Scan file format Scanner specifications Scanner Advanced Features Scannable area	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version (flatbed, ADF): 215.9 x 297 mm  Minimum media size (flatbed): No; Maximum media size (ADF): 215.9 x 355.6 mm		Duplex ADF scanning: No; Scan size maximum	
Scan file format Scanner specifications Scanner Advanced Features	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version (flatbed, ADF): 215.9 x 297 mm  Minimum media size (flatbed): No; Maximum	Scan to email and network folders media size (flatbed): 215.9 x 297 mm; Minimum	Duplex ADF scanning: No; Scan size maximum	
Scan file format Scanner specifications Scanner Advanced Features Scannable area Bit depth/ Grey scale levels	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version (flatbed, ADF): 215.9 x 297 mm  Minimum media size (flatbed): No; Maximum media size (ADF): 215.9 x 355.6 mm	Scan to email and network folders	Duplex ADF scanning: No; Scan size maximum	
Scan file format Scanner specifications Scanner Advanced Features Scannable area Bit depth/ Grey scale levels Digital sending	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version (flatbed, ADF): 215.9 x 297 mm  Minimum media size (flatbed): No; Maximum media size (ADF): 215.9 x 355.6 mm  24-bit / 256	Scan to email and network folders  media size (flatbed): 215.9 x 297 mm; Minimum  Standard: Scan to email; Scan to network folder	Duplex ADF scanning: No; Scan size maximum	
Scan file format Scanner specifications Scanner Advanced Features Scannable area Bit depth/ Grey scale levels Digital sending Fax Fax	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version (flatbed, ADF): 215.9 x 297 mm  Minimum media size (flatbed): No; Maximum media size (ADF): 215.9 x 355.6 mm	Scan to email and network folders  media size (flatbed): 215.9 x 297 mm; Minimum  Standard: Scan to email; Scan to network folder  Yes, 33.6 kbps	Duplex ADF scanning: No; Scan size maximum media size (ADF): 148.5 x 210 mm; Maximum	
Scan file format Scanner specifications Scanner Advanced Features Scannable area Bit depth/ Grey scale levels Digital sending	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version (flatbed, ADF): 215.9 x 297 mm  Minimum media size (flatbed): No; Maximum media size (ADF): 215.9 x 355.6 mm  24-bit / 256	Scan to email and network folders  media size (flatbed): 215.9 x 297 mm; Minimum  Standard: Scan to email; Scan to network folder	Duplex ADF scanning: No; Scan size maximum	
Scan file format Scanner specifications Scanner Advanced Features Scannable area Bit depth/ Grey scale levels Digital sending Fax Fax Fax Fax specifications	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version (flatbed, ADF): 215.9 x 297 mm  Minimum media size (flatbed): No; Maximum media size (ADF): 215.9 x 355.6 mm  24-bit / 256	Scan to email and network folders  media size (flatbed): 215.9 x 297 mm; Minimum  Standard: Scan to email; Scan to network folder  Yes, 33.6 kbps  Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Wireless telecommunications: EU R&TTE Directive 1999/5/EC, EN 301 489-1 V1.9.2/EN 301 489-17 V2.2.1, EN 300 328 V1.9.1/EN301 893 V1.8.1; Fax Telecom: ES 203 021, R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe)	Duplex ADF scanning: No; Scan size maximum  media size (ADF): 148.5 x 210 mm; Maximum  Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); other Telecom	
Scan file format Scanner specifications Scanner Advanced Features Scannable area Bit depth/ Grey scale levels Digital sending Fax Fax Fax Fax Fax specifications	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version (flatbed, ADF): 215.9 x 297 mm  Minimum media size (flatbed): No; Maximum media size (ADF): 215.9 x 355.6 mm  24-bit / 256	Scan to email and network folders  media size (flatbed): 215.9 x 297 mm; Minimum  Standard: Scan to email; Scan to network folder  Yes, 33.6 kbps  Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Wireless telecommunications: EU R&TTE Directive 1999/5/EC, EN 301 489-1 V1.9.2/EN 301 489-17 V2.2.1, EN 300 328 V1.9.1/EN301 893 V1.8.1; Fax Telecom: ES 203 021, R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe)	Duplex ADF scanning: No; Scan size maximum  media size (ADF): 148.5 x 210 mm; Maximum  Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); other Telecom approvals as required by individual countries	
Scan file format Scanner specifications Scanner Advanced Features Scannable area Bit depth/ Grey scale levels Digital sending Fax Fax Fax Fax Fax specifications Fax specifications	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version of (flatbed, ADF): 215.9 x 297 mm  Minimum media size (flatbed): No; Maximum media size (ADF): 215.9 x 355.6 mm  24-bit / 256	Scan to email and network folders  media size (flatbed): 215.9 x 297 mm; Minimum  Standard: Scan to email; Scan to network folder  Yes, 33.6 kbps  Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Wireless telecommunications: EU R&TTE Directive 1999/5/EC, EN 301 489-1 V1.9.2/EN 301 489-17 V2.2.1, EN 300 328 V1.9.1/EN301 893 V1.8.1; Fax Telecom: ES 203 021, R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe)	Duplex ADF scanning: No; Scan size maximum  media size (ADF): 148.5 x 210 mm; Maximum  Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); other Telecom approvals as required by individual countries	
Scan file format Scanner specifications Scanner Advanced Features Scannable area Bit depth/ Grey scale levels Digital sending Fax Fax Fax Fax Faxspecifications  Fax specifications  Fax smart software features  Processor speed Connectivity	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version of (flatbed, ADF): 215.9 x 297 mm  Minimum media size (flatbed): No; Maximum media size (ADF): 215.9 x 355.6 mm  24-bit / 256	Scan to email and network folders  media size (flatbed): 215.9 x 297 mm; Minimum  Standard: Scan to email; Scan to network folder  Yes, 33.6 kbps  Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Wireless telecommunications: EU R&TTE Directive 1999/5/EC, EN 301 489-1 V1.9.2/EN 301 489-17 V2.2.1, EN 300 328 V1.9.1/EN301 893 V1.8.1; Fax Telecom: ES 203 021, R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe)  Fax address book; Speed-dial; Fax billing codes;	Duplex ADF scanning: No; Scan size maximum  media size (ADF): 148.5 x 210 mm; Maximum  Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); other Telecom approvals as required by individual countries	
Scan file format Scanner specifications Scanner Advanced Features Scannable area Bit depth/ Grey scale levels Digital sending Fax Fax Fax Fax specifications  Fax smart software features Processor speed Connectivity Standard	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version of (flatbed, ADF): 215.9 x 297 mm  Minimum media size (flatbed): No; Maximum media size (ADF): 215.9 x 355.6 mm  24-bit / 256	Scan to email and network folders  media size (flatbed): 215.9 x 297 mm; Minimum  Standard: Scan to email; Scan to network folder  Yes, 33.6 kbps  Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Wireless telecommunications: EU R&TTE Directive 1999/5/EC, EN 301 489-1 V1.9.2/EN 301 489-17 V2.2.1, EN 300 328 V1.9.1/EN301 893 V1.8.1; Fax Telecom: ES 203 021, R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe)  Fax address book; Speed-dial; Fax billing codes;  1 Hi-Speed USB 2.0; 1 Hi-Speed USB 2.0 (host); 1 Ethernet 10/100Base-TX; 1 phone line (in); 1	Duplex ADF scanning: No; Scan size maximum  media size (ADF): 148.5 x 210 mm; Maximum  Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); other Telecom approvals as required by individual countries  Fax archiving and forwarding; Block incoming faxe  1 Hi-Speed USB 2.0; 1 Ethernet 10/100Base-TX; 1 phone line (in); 1 phone line	
Scan file format Scanner specifications Scanner Advanced Features Scannable area Bit depth/ Grey scale levels Digital sending Fax Fax	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version (flatbed, ADF): 215.9 x 297 mm  Minimum media size (flatbed): No; Maximum media size (ADF): 215.9 x 355.6 mm  24-bit / 256  No  No  1 Hi-Speed USB 2.0; 1 Ethernet 10/100Base-TX	Scan to email and network folders  media size (flatbed): 215.9 x 297 mm; Minimum  Standard: Scan to email; Scan to network folder  Yes, 33.6 kbps  Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Wireless telecommunications: EU R&TTE Directive 1999/5/EC, EN 301 489-1 V1.9.2/EN 301 489-17 V2.2.1, EN 300 328 V1.9.1/EN301 893 V1.8.1; Fax Telecom: ES 203 021, R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe)  Fax address book; Speed-dial; Fax billing codes;  1 Hi-Speed USB 2.0; 1 Hi-Speed USB 2.0 (host); 1 Ethernet 10/100Base-TX; 1 phone line (in); 1 phone line (out); Wireless; NFC	Duplex ADF scanning: No; Scan size maximum  media size (ADF): 148.5 x 210 mm; Maximum  Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); other Telecom approvals as required by individual countries  Fax archiving and forwarding; Block incoming faxe  1 Hi-Speed USB 2.0; 1 Ethernet 10/100Base-TX; 1 phone line (in); 1 phone line (out)	
Scan file format Scanner specifications Scanner Advanced Features Scannable area Bit depth/ Grey scale levels Digital sending Fax Fax Fax Fax Fax specifications  Fax smart software features Processor speed Connectivity Standard Wireless	JPG, RAW (BMP), PNG, TIFF, PDF  Scan technology: CIS; Twain version: Version of (flatbed, ADF): 215.9 x 297 mm  Minimum media size (flatbed): No; Maximum media size (ADF): 215.9 x 355.6 mm  24-bit / 256  No  No  Hi-Speed USB 2.0; 1 Ethernet 10/100Base-TX  No  HP ePrint; AirPrint 1.5 with media presence sensor; Google Cloud Print™ 2.0	Scan to email and network folders  media size (flatbed): 215.9 x 297 mm; Minimum  Standard: Scan to email; Scan to network folder  Yes, 33.6 kbps  Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Wireless telecommunications: EU R&TTE Directive 1999/5/EC, EN 301 489-1 V1.9.2/EN 301 489-17 V2.2.1, EN 300 328 V1.9.1/EN301 893 V1.8.1; Fax Telecom: ES 203 021, R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe)  Fax address book; Speed-dial; Fax billing codes;  1 Hi-Speed USB 2.0; 1 Hi-Speed USB 2.0 (host); 1 Ethernet 10/100Base-TX; 1 phone line (in); 1 phone line (out); Wireless; NFC  Built-in Wi-Fi 802.11b/g/n  HP ePrint; Wi-Fi Direct printing; AirPrint 1.5 with media presence sensor; Google Cloud Print™	Duplex ADF scanning: No; Scan size maximum  media size (ADF): 148.5 × 210 mm; Maximum  Fax resolution: Standard: 203 × 98 dpi; Fine: 203 × 196 dpi; Superfine: 300 × 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials); Telecom compliance: Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); other Telecom approvals as required by individual countries  Fax archiving and forwarding; Block incoming faxe  1 Hi-Speed USB 2.0; 1 Ethernet 10/100Base-TX; 1 phone line (in); 1 phone line (out) No HP ePrint; AirPrint®; Google Cloud Print™ 2.0	

Model	HP LaserJet Pro MFP M227sdn	HP LaserJet Pro MFP M227fdw	HP LaserJet Pro MFP M227fdn		
Product number	G3Q74A	G3Q75A	G3Q79A		
Media handling					
Number of paper trays	<b>Standard</b> : 1 main tray, plus 10-sheet priority tray; <b>Maximum</b> : 1 main tray, plus 10 sheet priority				
Media types	Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, postcards				
Media size	Supported (metric): A4; A5; A6; B5 (JIS) ADF: A4				
Media handling	Standard input: 250-sheet input tray, 10-sheet priority tray Standard output: 150-sheet output tray ADF: 35 sheets				
Media weight	60 to 163 g/m²; <b>ADF</b> : 60 to 163 g/m²				
Input capacity	Tray 1: Sheets: 10; envelopes: 10 Tray 2: Sheets: 250; envelopes: 10 Maximum: Up to 260 sheets ADF: 35 sheets				
Output capacity	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets				
Compatible operating systems	Windows: 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Apple OS X El Capitan (v10.11), OS X Yosemite (v10.10), OS X Mavericks (v10.9), 1 GB available hard disk space, Internet required, USB; Linux (for more information, see http://hplipopensource.com/hplip-web/index.html); Unix (for more information, see http://www.hp.com/go/unixmodelscripts)				
Compatible network operating systems	Windows: 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Apple OS X El Capitan (v10.11), OS X Yosemite (v10.10), OS X Mavericks (v10.9), 1 GB available hard disk space, Internet required, USB; Linux (for more information, see http://hplipopensource.com/hplip-web/index.html); Unix (for more information, see http://www.hp.com/go/unixmodelscripts)				
Minimum system requirements	Windows: Windows: 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer Windows Vista: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8;  Mac: Apple OS X Sierra (v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10), 1 GB available hard disk space, Internet required, USB port				
Software included	For Windows OS: HP Software Installer, HP Software Uninstaller (exclude Win8+), HP PCL6 Printer Driver, HP Device Experience (DXP), HP Connected, Device Setup & Software, HP Printer Assistant, HP Product Improvement Study, Online user manuals, HP Scan Driver, HP Scan Application, HP Fax Driver (4:1 bundle only), HP Fax Application (4:1 bundle only); For Mac OS: Welcome Screen, (Directs users to http://www.hp.com or OS App Source for LaserJet Software)				
Printer management	HP Printer Assistant (UDC); HP Utility (Mac); HP Device Toolbox; HP JetAdvantage Security Manager				
Dimensions and Weight					
Printer dimensions (W x D x H) <sup>7</sup>	<b>Minimum</b> : 403 x 407.4 x 311.5 mm; <b>Maximum</b> : 403 x 624.4 x 455.6 mm				
Package dimensions (W x D x H)	490 x 392 x 490 mm				
Printer weight	9.4 kg				
Package weight	13.2 kg				
Operating environment	Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH				
Storage	Temperature: -20 to 60°C; Humidity: 10 to 90% RH				
Acoustics	Acoustic pressure emissions: 52 dB(A)				
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz, 3.3 A; Consumption: 475 watts (active printing), 4.5 watts (ready), 1.0 watts (sleep), 0.1 watts (Auto Off/Wake on USB, enabled at shipment), 0.05 watts (Auto-off/Manual-on), 0.05 watts (Manual Off); Typical Electricity Consumption (TEC): Blue Angel: 0.941 kWh/Week; Energy Star: 0.926 kWh/Week; Power supply type: Internal				
Energy savings feature technology	HP Auto-On/Auto-Off Technology				
Certifications	CISPR 22:2008/EN 55022:2010 (Class B); EN 6	51000-3-2:2006 +A1:2009 +A2:2009; EN 6100	00-3-3:20 <sup>13</sup> ; EN 55024:2010		
What's in the box <sup>a</sup>	HP LaserJet Pro MFP M227sdn; HP Black LaserJet Toner Cartridge (1,600 pages); HP LaserJet Imaging Drum (23,000 pages); Power cord; Getting started guide; Set up poster; Support flyer; Printer documentation and software on CD-ROM	HP LaserJet Pro MFP M227fdw; HP Black LaserJet Toner Cartridge (1,600 pages); HP LaserJet Imaging Drum (23,000 pages); Power cord; Getting started guide; Set up poster; Support flyer; Printer documentation and software on CD-ROM; USB cable; Phone cord	HP LaserJet Pro MFP M227fdn; HP Black LaserJet Toner Cartridge (1,600 pages); HP LaserJet Imaging Drum (23,000 pages); Power cord; Getting started guide; Set up poster; Support flyer; Printer documentation and software on CD-ROM		
Warranty	One-year unit exchange warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.				

#### **Footnotes**

- Based on ISO/IEC 19752 cartridge yields for HP 30A Black Original LaserJet Toner Cartridges compared with HP 83A Black Original LaserJet Toner Cartridges, and HP 30X High Yield Black Original LaserJet Toner Cartridges compared with HP 83X High Yield Black Original LaserJet Toner Cartridges. Learn more at http://www.hp.com/qo/learnaboutsupplies.
- Pleasured using ISO/IEC 17629. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Learn more at http://www.hp.com/go/printerclaims.
  HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
- <sup>4</sup> Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com. <sup>5</sup> Mobile device must have iOS v7.0 or higher. Learn more at http://www.hp.com/go/mobileprinting.
- <sup>6</sup> Requires a compatible NFC-printing-enabled mobile device. For a list of compatible NFC-printing-enabled mobile devices, see http://www.hp.com/go/nfcprinting.
- <sup>7</sup> Feature is supported on selected printers. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct<sup>®</sup> supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see http://www.hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance<sup>®</sup>.
- <sup>8</sup> Printer requires ePrint account registration. App or software may be required. Learn more at http://www.hp.com/go/mobileprinting.
  <sup>9</sup> Requires Google Cloud Print™ registration and Google account. Learn more at http://www.hp.com/go/mobileprinting.
- 10 Not all HP Web Jetadmin features are supported on the HP LaserJet Pro MFP M227. HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin.
- 11 Based on HP internal research on competitor offerings (Device Security Comparison 1/2015) and Solutions Report on HP JetAdvantage Security Manager 2.1 from Buyers Lab, 2/2015. Requires separate purchase. For
- Comparison based on ISO 24711 cartridge yields for HP 30X High Yield Black Original LaserJet Toner Cartridges compared with HP 30A Black Original LaserJet Toner Cartridges. Learn more at http://www.hphp.com/go/learnaboutsupplies.
- <sup>13</sup> As compared with cartridge gauges for HP predecessor products.

#### **Technical specifications disclaimers**

- Neasured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- The describent of the system configuration, software application, driver, and document complexity.

  3 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Colour LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

  4 HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended
- First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 6 Measured using ISO/IEC 17991, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims.Exact speed varies depending on the system configuration and document complexity. Dimensions vary as per configuration.
- <sup>8</sup> HP 30A Original Black Laser Jet Toner Cartridge (1,600 pages), HP 32A Original Laser Jet Imaging Drum (23,000 pages). Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies















### http://www.hp.com/uk

The product could differ from the images shown. @ Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

