

# HP LaserJet Enterprise 700 color MFP M775 series

Designed for workteams that need an affordable, reliable MFP with print, copy, scan, and fax capabilities that prints brilliant colour documents up to A3, and offers robust paper handling and security features.





HP LaserJet Enterprise 700 color MFP M775dn



HP LaserJet Enterprise 700 color MFP M775f



HP LaserJet Enterprise 700 color MFP M775z



HP LaserJet Enterprise 700 color MFP M775z+

### Expand possibilities with broad capabilities and brilliant colour with this affordable A3 MFP.

- Increase colour printing capabilities with media sizes up to A3 for impressive marketing materials and
- Impress with bold text and smooth colour, and get the colour output you intended with Pantone® matching.
- Go from start to finish, right at the MFP print, copy, scan, and fax1 from the large touchscreen.
- Print from your smartphone or tablet from virtually anywhere with HP ePrint3.

#### Boost productivity and easily manage printing.

- Boost productivity get up to 4,350-sheet paper capacity for large printing jobs from this workhorse
- Automate high-volume print jobs to save time, using the 100-page automatic document feeder.
- Easily manage your business's colour printing with HP colour access controls4.
- Save and print files directly at the MFP via an easy-access USB port.

### Streamline your workflow with robust scanning.

- Improve workflow using touchscreen controls to preview, edit, and digitally send documents at the device5
- Streamline tasks: print, copy, fax1 and scan projects directly at the MFP's large colour touchscreen.
- Incorporate paper documents into digital workflows easily send scans to fax1, email, or network folders.
- Efficiently capture the right content: remove blank pages in scanned documents to avoid wasted paper.

#### **ECOHIGHLIGHTS**

- leduce energy use with Instant-on Technology<sup>1</sup>
- Reduce paper use by up to 50%, using automatic two-sided printing. Reduce waste scan, store and distribute documents digitally.

ENERGY STAR® avalified

<sup>1</sup> Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise 700 color MFP M775dn.
<sup>2</sup> Maximum paper capacity of 4,350 sheets is available only on the M775dn with the addition of the optional 3,500-sheet feeder and stand and optional 500-sheet fray.

Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image

Colour access control capabilities vary from device to device

types and other HP ePrint details, see www.hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.

<sup>&</sup>lt;sup>5</sup> Addional digital sending capabilities are available via HP Digital Sending Software which must be purchased separately.

#### Product walkaround

HP LaserJet Enterprise 700 color MFP M775z+:

- 1. 100-sheet automatic document feeder
- 2. Intuitive 20.3 cm (8-inch) pivoting light touch SVGA colour control panel with FutureSmart firmware and scan preview
- 3. Hardware integration pocket for solution integration
- 4. Easy-access USB port to save and print files directly
- 5. In-line stapler/stacker for stapling up to 30-pages and a 500-sheet output trav
- 6. Standard 250-sheet stacker output bin
- 7. Front door allows convenient access to one black and three color, all in one HP print cartridges
- 8. Built-in automatic two-sided printing
- 9. 250-sheet input tray 2
- 10. 3,500-sheet high-capacity feeder with cabinet for a 3,850-sheet total input capacity
- 11. 100-sheet multipurpose tray 1 handles up to 100 pages
- 12. Fax port
- 13. 800 MHz processor, 1.5 GB standard memory
- 14. HP High Performance Secure Hard Disk
- 15. Hi-Speed USB 2.0 printing port
- 16. HP Jetdirect Gigabit Ethernet print server



### Series at a glance



# HP LaserJet Enterprise 700 color MFP M775dn

- print, copy, scan, digital send
- print/copy speed of up to 30 ppm
- up to 600 x 600 dpi (HP ImageREt 3600)
- 1536 MB RAM
- 800 MHz processor
- 1 HP High Performance Secure Hard Disk
- 1 Hi-Speed USB 2.0 Host
- 1 Hi-Speed USB 2.0 Device
- 2 Internal USB 2.0 Host
- 1 Gigabit Ethernet 10/100/1000Base-T
- 1 Foreign Interface (FIH)
- 1 Hardware Integration Pocket
- 100-sheet multipurpose tray
- 250-sheet input tray
- 100-sheet Automatic Document Feeder (ADF)



# HP LaserJet Enterprise 700 color MFP M775f

- as HP LaserJet Enterprise 700 color MFP M775dn with standard built-in fax
- 1 x 500-sheet tray
- 1 x 500-sheet feeder and stand



HP LaserJet Enterprise 700 color MFP

- as HP LaserJet Enterprise 700 color MFP M775dn with built-in fax
- 500-sheet inline stapler/stacker
- 3 x 500-sheet paper feeder and stand



HP LaserJet Enterprise 700 color MFP M775z+

- as HP LaserJet Enterprise 700 color MFP M775dn with built-in fax
- 500-sheet inline stapler/stacker
- 3500-sheet feeder and stand





#### CE860A HP Color LaserJet 500-sheet Paper Tray

Enhance productivity with a simple-to-install paper tray that allows you to print more pages without reloading paper and keep two different types of paper loaded.



#### C80914

HP Staple Cartridge Refill
HP Staple Cartridge Refills give you more for your money and ensure you don't have to worry about frequent cartridge replacement. Each refill contains 5000 staples.



#### CF725A

HP Color LaserJet 3x500-sheet Paper Feeder and Stand Spend less time loading paper

and more time printing. Meet the printing needs of a high-volume printing environment with the 3x500-sheet paper feeder and



#### CE792A

HP LaserJet 1x500-sheet Feeder and Stand

Support the productivity of growing work groups with simple, robust paper input accessories that enable media versatility, from A4/Letter to A3, and allow longer printing without reloading paper.



#### CF305A

HP LaserJet 1x3500 Sheet Feeder and Stand

Spend less time loading paper and more time printing. Meet the printing needs of a high-volume printing environment with this 1x3500-sheet feeder and stand.



#### CC487A

HP LaserJet MFP Analog Fax Accessory 500
Improve workteam productivity

and make information sharing more efficient. Simply add embedded analog fax functionality to your HP LaserJet MFP<sup>1</sup> to send and receive documents quickly, easily and securely.

### **Ordering information**



#### HP LaserJet Enterprise 700 color MFP M775dn (CC522A)

HP LaserJet Enterprise 700 color MFP M775dn; HP Black LaserJet Toner Cartridge (~13500 pages); HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~16000 pages); Installation guide, Warranty cards; CD containing drivers and electronic documentation; Power cord; 250-sheet tray



#### HP LaserJet Enterprise 700 color MFP M775f (CC523A)

HP LaserJet Enterprise 700 color MFP M775f; HP Black LaserJet Toner Cartridge (~13500 pages); HP Cyan, Magenta, and Yellow Color laserJet Toner Cartridges (~16000 pages); Installation guide, Warranty cards; CD containing drivers and electronic documentation; Power cord, Telecom cord; 250-sheet tray, 1x500-sheet Paper Tray, 1x500-sheet Feeder and Stand; Built-in fax

Supplies



#### HP LaserJet Enterprise 700 color MFP M775z (CC524A)

HP LaserJet Enterprise 700 color MFP M775z; HP Black LaserJet Toner Cartridge (~13500 pages); HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~16000 pages); Installation guide, Warranty cards; CD containing drivers and electronic documentation; Power cord, Telecom cord; 250-sheet tray, 3x500-sheet Paper Feeder and Stand, 500-sheet inline Stapler/Stacker; Built-in



#### HP LaserJet Enterprise 700 color MFP M775z+ (CF304A)

HP LaserJet Enterprise 700 color MFP M775z+; HP Black LaserJet Toner Cartridge (~13500 pages); HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~16000 pages); Installation guide, Warranty cards; CD containing drivers and electronic documentation; Power cord, Telecom cord; 250-sheet tray, 1x3500-sheet Feeder and Stand, 500-sheet inline Stapler/Stacker; Built-in

## Accessories, Supplies and Support

Accessories					
CE860A	HP Color LaserJet 500-sheet Paper Tray				
C8091A	HP Staple Cartridge Refill				
CE725A	HP Color LaserJet 3x500-sheet Paper Feeder and Stand				
CE792A	HP LaserJet 1x500-sheet Feeder and Stand				
CF305A	HP LaserJet 1x3500 Sheet Feeder and Stand				
CC487A	HP LaserJet MFP Analog Fax Accessory 500				
L2718A	HP 100 ADF Roller Replacement Kit				
Connectivity					
J8026A	HP Jetdirect 2700w USB Wireless Print Server				

CE340A	HP 651A Black LaserJet Toner Cartridge Average continuous Black Cartridge yield 13,500 standard pages. Declared yield value in accordance with ISO/IEC 19798.
CE341A	HP 651A Cyan LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 16,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.
CE342A	HP 651A Yellow LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 16,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.
CE343A	HP 651A Magenta LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 16,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.
CE515A	HP LaserJet CE515A 220V Maintenance Kit 150,000 pages
CE516A	HP LaserJet CE516A Transfer Kit 150,000 pages
CE980A	HP Color Laserlet CE980A Toner Collection Unit

Service & support U6W53E - HP 3 year Next Business Day Color LaserJet M775 MFP Hardware U6W54E - HP 4 year Next Business Day Color LaserJet M775 MFP Hardware

U6W55E - HP 5 year Next Business Day Color LaserJet M775 MFP Hardware

Support
U6W77PE - HP 1 year Post Warranty Next Business Day Color LaserJet M775

MFP Hardware Support

For a complete list of supplies, accessories and services, please refer to http://www.hp.com
for workflow, device management and other solutions, please visit the Global Solutions catalog: www.hp.com/go/gsc

Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies

Count on dependable support to create the best image possible. We can help you enhance your printing and imaging environment, protect your IT investment, and grov your business—with expert support that's affordable, personal, and tailored to your needs through HP Care Pack Services.

# **Technical specifications**

<u> </u>							
Print technology		Laser					
Print speed	First page out: black: As fast as 10.5 sec, colour: As fast as 10.5 sec A4black: Up to 30 ppm, color: Up to 30 ppm Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software ap						
	driver, and document complexity.						
Processor	800 MHz						
Memory		1536 MB. Not expandable					
Hard disk	Data, Secure ATA Erase-Disk)						
Print	Quality Resolution	Quality HP ImageREt 3600 Resolution Black: Up to 600 x 600 dpi, Color: Up to 600 x 600 dpi					
	Printer languages	HP PCL 6, HP PCL 5c (HP PCL 5c driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4), Apple AirPrint™					
	Typefaces/fonts	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista® 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at the card of Applicable of the Card of Applicable					
	Duty cycle (monthly, A4)	Emulation available at hp.com/go/laserjetfonts e (monthly, A4) Up to 120,000 pages					
	Recommended monthly page volur	me2500 to 7500					
	Print margins (mm) Maximum print area	Top: 4.2 mm. Left: 2.6 mm. Right: 5 mm. Bottom: 2.6 mm 302 x 454.2 mm					
Fax		print died 302 x log 75, 2 min 302 x log 75, 2					
	Modem speed	33.6 kbps					
	Telecom compliance	700 color MFP M775f: Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; other Telecom approvals as required by					
		individual countries; 700 color MFP M775z: Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); other Telecom approvals as required by individual countries; 700 color MFP M775z+: Fax Telecom: ES					
		203 (21); R&TTE Directive 1999/5/EC (Annex II) with CE Morking (Europe); FCC Part 68; other Telecom approvals as required by individual contries;					
	Fax memory	Up to 100 pages Standard: 204 x 98 dpi. Fine: 204 x 196 dpi. Superfine: 300 x 300 dpi. Photo: 300 x 300 dpi (400 x 400 dpi for received faxes only)					
	Fax resolution Quick dialing	Standard: 204 x 98 dpi. Fine: 204 x 196 dpi. Super Up to 100 numbers (each with 100 destinations)	tine: 300 x 300 dpi. Photo: 300 x 300 dpi (400 x 400	dpi tor received taxes only)			
Digital sending	File formats						
J	(.pm, .pcl, .cht)						
	Features						
		Optional via HP Digital Sending Software (HP DSS); Address Book	Send to tolder; Send to workflow; Send to printer; Authen	fication; Digital tax (send to LAN, Internet); OCK; Local			
Scan	Scan Speed (A4)	Up to 30 ppm (black & white), up to 30 ppm (colour	)				
	Scan Speed Duplex (A4)	Up to 14 ipm (black & white), up to 14 ipm (colour)					
	Type	Flatbed, ADF. Colour scanning: Yes					
	Bit depth	an resolution Optical: Up to 600 dpi. Enhanced: Up to 600 dpi depth 24-bit					
	Grey scale levels						
		Scannable area Maximum media size: 297 x 420 mm					
Сору	Copy speed	Margins for scanned items Left: 4.2 mm. Top: 4.2 mm. Bight: 4.2 mm. Bottom: 4.2 mm  Copy speed A4 black: Up to 30 cpm, color: Up to 30 cpm					
сору	Copy resolution	Up to 600 x 600 dpi					
	Multiple copies	Up to 9999 copies					
a. P. J. III	Reduce/enlarge	25 to 400%	w. I.	6:			
Media handling	I <b>nput:</b> Tray 1	Capacity sheets: 100 (75 g/m²); transparencies: 50; labels: 50; envelopes: 10	Weight 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); 163 to 220 g/m² (cardstock, card glossy)	Size A3; A4; A4-R; A5; A6; RA3; SRA3; RA4; SRA4; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; Postcard (JIS); Dpostcard (JIS); envelopes (B4, B5, C5, D1); 76 x 127			
	Tray 2	sheets: 250 (75 g/m²), 150 (90 g/m²); Glossy pape (160g/m²): 125; Glossy paper (220 g/m²): 50	r 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); 163 to 220 g/m² (cardstock, card glossy)	to 320 x 470 mm A3; A4; A4-R; A5; RA4; SRA4; B4 (JIS); B5 (JIS); Dpostcard (JIS); 148 to 182 to 297 x 432 mm			
	ADF	Sheets: 100	49 to 120 g/m <sup>2</sup>	A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; 13 x 18 cm			
	Output: Envelopes: Up to 35 envelopes. Transparencies: Up to 175 sheets						
and the second	Duplex printing: Automatic (standa						
Media types				P matte, HP soft gloss, HP glossy, colour transparency, labels,			
Interface and connectivity	letterhead, envelope, preprinted, prepunched, coloured, rough, HP tough paper, opaque film, user-defined  Standard: 700 color MFP M775dn: 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket);						
,	Standard. Not Contine Phr 1736 in First Peed vs 8 2.0 Host; 1 Fisspeed vs 8 2.0 Bevice; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port; 700 color MFP M775z: 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port; 700 color MFP M775z: 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port; 700 color MFP M775z: 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port; 700 color MFP M775z: 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port; 700 color MFP M775z: 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port; 700 color MFP M775z: 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Hi-Speed						
Operating systems compatibility	Microsoft® Windows® 8, Windows® 7, Windows Vista®, Windows® XP (SP2+), Windows® Server 2003 (SP1+), Windows® Server 2008 (32 and 64-bit), Windows® Server 2008 R2 (64-bit); Mac OS X						
	hp.com/go/unixmodelscripts, hp.c	:om/go/jetdirectunix_software); SAP device types (hp.co	Services (hp.com/go/upd); Novell (novell.com/iprint); Lir om/go/sap/drivers, hp.com/go/sap/print); HP ePrint M				
Minimum system requirements	printer drivers and software can be obtained from the HP Support Web site, hp.com/go/lj700colorMFPM775_software  Microsoft® Windows® 8, Windows® 7, Windows Vista®, Windows® XP (SP2+), Windows Server® 2003 (SP1+), Windows Server® 2008, Windows Server® 2008 R2; 200 MB available hard disk						
	spaces, operating system compatible hardware system requirements, see microsoft.com. Mac OS X10.6, v10.7; V010.6 available hard disk space; operating system compatible hardware system requirements, see microsoft.com. Mac OS X10.6, v10.7; V010.6 available hard disk space; operating system compatible hardware system						
	requirements, see apple.com						
Standard software		crete driver, Mac Installer, HP Postscript emulation driver		at a second light 2.0 and			
Control panel			rol buttons; LED Home button; Hardware Integration Pock				
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/-3 Hz), 60 Hz (+/-3 Hz), Consumption: 703 watts (copying), 686 watts (printing), 85 watts (ready), 14.8 watts (sleep), 0.5 watts (manual-Off). Typical Electricity Consumption (TEC): 5.421 kWh/Week. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Configuration tested: colour, simplex printing and copying.						
Dimensions (w x d x h)				x 1198 mm; <b>700 color MFP M775z+:</b> 745 x 668 x 1198			
				1553 mm; <b>700 color MFP M775z+:</b> 856 x 760 x 1553 mm;			
Weight	Out of package: 700 color MFP M775dn: 63.7 kg; 700 color MFP M775dn: 9.8 kg; 700 color MFP M775dn: 76.5 kg; 700 color MFP M7						
B		FP M775z: 126.7 kg; 700 color MFP M775z+: 135.6 kg.	;				
Printer management	HP Web Jetadmin; HP Utility (Mac		aver TIC IPage /Firewall with Continue Burch 12	Authoritantian and Varhares Authoritantian Communic			
Security management		Management security: SNMPv3, SSL/TLS, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in					
Operating environment	Operating temperature: 15 to 27°C	Operating temperature: 15 to 27°C. Recommended operating temperature: 17 to 25°C. Operating humidity: 10 to 70% RH. Operating humidity recommended: 30 to 70% RH. Storage temperature: 0 to					
Acoustics	Acoustic Power Emissions: 6.7 B(A	35°C . Storage humidity: 10 to 90% RH Acoustic Power Emissions: 6.7 B(A)					
Certifications	Acoustic Pressure Emissions: 53 dE		P FN 61000-3-3-2008 FN 55024- 1008 - 61 - 62 - 62	Title 47 CER GR9254-2008 GR17425 1-2003 EMC			
Community	Directive 2004/108/EC with CE I	CISPR 22: 2008/EN 55022: 2010 Class A, EN 61000-3-2: 2006 +A1:2009 +A2:2009, EN 61000-3-3:2008, EN 55024: 1998+A1+A2, FCC Title 47 CFR, GB9254-2008, GB17625.1-2003, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries. Regulatory standards: IEC 60950-1 +A1 (International), EN 60950-1 +A11 +A1 +A12 (EU), IEC 60825-1, GS License (Europe), EN 60825-1 (Class 1 Laser/LED Device), Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries. ENERGY STAR: Yes					
Warranty		le warranty. Warranty and support options vary by prod	luct, country and local legal requirements.				

http://www.hp.com/uk
Solutions: http://www.hp.com/go/gsc; Fonts and IPDS Emulation: http://www.hp.com/go/laserjetfonts; HP Web Jetadmin: http://www.hp.com/go/wja; HP Universal Print Driver: http://www.hp.com/go/upd



















