# HP LaserJet Enterprise MFP M632 series



## The pinnacle of performance and security.

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them – all while protecting your network from attacks with the industry's deepest security.















#### The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralise control of your printing environment with HP Web Jetadmin and help build business efficiency.<sup>2</sup>
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

#### High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This MFP wakes up fast and prints your first page faster in as quickly as 7.9 seconds (M632h and M632fht).<sup>3</sup>
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.4
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 10.16 x 15.24 cm (4 x 6") to legal.

#### More. Pages, Performance, and Protection.5

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.<sup>6</sup>

#### Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages

   every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and greyscale-optimised.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

### **Product walkaround**

#### HP LaserJet Enterprise Flow MFP M632z shown

- 1. Hardware Integration Pocket
- 2. Easy-access USB port
- 3. 1,000-sheet 3-bin stapler/stacker with job offset
- 4. Left door access to toner cartridges
- 5. Automatic two-sided printing
- 6. 550-sheet input tray 2
- 7. 1x550 and 2,000-sheet HCI feeder and stand
- 8. 150-sheet ADF with single-pass, two-sided scanning and HP EveryPage  $\,$
- 9. 20.3 cm intuitive icon-based colour touchscreen
- 10. Pull-out keyboard
- 11. HP High-Performance Secure Hard Disk
- 12. Right door (access to print path)
- 13. 100-sheet multipurpose tray 1
- 14. Host USB port
- 15. Hi-speed USB 2.0 printing port
- 16. Slot for cable-type security lock
- 17. Gigabit Ethernet port
- 18. Fax port



# Series at a glance







Model	HP LaserJet Enterprise MFP M632h	HP LaserJet Enterprise MFP M632fht	HP LaserJet Enterprise Flow MFP M632z
Product number	J8J70A	J8J71A	J8J72A
Print speeds (A4)	Up to 61 ppm	Up to 61 ppm	Up to 61 ppm
Fax capabilities	Optional	Yes	Yes
HP High Performance Secure Hard Disk	Yes	Yes	Yes
100-sheet tray 1, 550-sheet tray	Yes	Yes	Yes
550-sheet paper feeder*	Optional (up to four)	Optional (up to one)	Optional (up to one)
1x550-sheet paper feeder with stand and cabinet*	Optional	Yes	Not available
3x550-sheet paper feeder and stand*	Optional	Not available	Not available
1x550 and 2,000-sheet HCI feeder and stand*	Optional	Not available	Yes
Envelope feeder	Optional (up to two)	Optional (up to one)	Optional (up to one)
3-bin stapler/stacker with job offset	Not available	Not available	Yes
Advanced workflow features, including pull-out keyboard	Not available	Not available	Yes
Direct mobile printing**	Optional wireless direct/NFC	Optional wireless direct/NFC	Optional wireless direct/NFC
Wireless networking***	Optional	Optional	Optional

<sup>\*</sup>The MFP is limited to a total of six input feeders. The HP Laser Jet Enterprise MFP M632fht and the Flow M632z can add up to one additional optional 550-sheet paper feeder or envelope feeder. The M632h can add up to four additional optional 550-sheet paper feeders; or, they can add one of the other optional accessories (1x550-sheet paper feeder and stand, 3x 550-sheet paper feeder with stand and cabinet, or 1x550 and 2,000-sheet HCI feeder and stand) and up to one additional optional 550-sheet paper feeder or envelope feeder. The optional maximum configurations may raise glass height above best customer usability standards.\*\*All models can add wireless direct and touch-to-print capability with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. For details, see hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance®. For more information regarding NFC, see hp.com/go/businessmobileprinting.

\*\*\*All models can add wireless networking with the purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be

limited during active VPN connections.

# **Accessories, Supplies and Support**

Supplies	CF237A HP 37A Black Original LaserJet Toner Cartridge (11,000 pages)
	CF237X HP 37X High Yield Black Original LaserJet Toner Cartridge (25,000 pages)
	CF237Y HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge (41,000 pages)
	J8J88A HP LaserJet 220V Maintenance Kit (225,000 pages)
	J8J95A HP 300 ADF Roller Replacement Kit (Up to 150,000 pages)
	J8J96A HP Staple Cartridge Refill (Cartridge contains 5,000 staples)
Accessories	J8J89A HP LaserJet 550-sheet Feeder Tray
	J8J91A HP LaserJet 1x550 Paper Feeder and Cabinet
	J8J92A P LaserJet 1x550-sheet and 2000-sheet HCI Feeder and Stand
	J8J93A HP LaserJet 3x550-sheet Paper Feeder with Cabinet
	J8J90A HP LaserJet Envelope Feeder
	CC487A HP LaserJet MFP Analog Fax Accessory 500
	B5L29A HP High-Performance Secure Hard Disk
	F5S62A HP Trusted Platform Module Accessory
	A7W13A* HP LaserJet Keyboard Overlay Kit-Danish/French-Switzerland/German-Switzerland
	A7W14A HP LaserJet Swedish Overlay Keyboard
	<b>E5K48A</b> HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
	B5L28A HP Internal USB Ports
	J8031A HP Jetdirect 2900nw Print Server
	B5L31A HP Foreign Interface Harness
Connectivity	J8031A HP Jetdirect 2900nw Print Server
	J8030A HP Jetdirect 3000w NFC/Wireless Accessory
Service and support	U9NK0E HP 3 year Next Business Day Hardware Support with Defective Media Retention for LaserJet Enterprise MFP M63x U9NK1E HP 4 year Next Business Day Hardware Support with Defective Media Retention for LaserJet Enterprise MFP M63x U9NK2E HP 5 year Next Business Day Hardware Support with Defective Media Retention for LaserJet Enterprise MFP M63x U9NL8PE HP 1 year Post Warranty Next Business Day Hardware with Defective Media Retention for LaserJet Enterprise MFP M63x
	U9NL9PE HP 2 year Post Warranty Next Business Day Hardware with Defective Media Retention for LaserJet Enterprise MFP M63x

<sup>\*</sup>A7W13A is in the box when ordering BAZ option

**Technical specifications** 

Model	HP LaserJet Enterprise MFP M632h	HP LaserJet Enterprise MFP M632fht	HP LaserJet Enterprise Flow MFP M632z
Product number	J8J70A	J8J71A	J8J72A
Functions	Print, Copy, Scan	Print, Copy, Scan, Fax	!
Control panel	20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu)		20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); Extended keyboard
Print	U		
Print technology	Laser		
Print speed <sup>2</sup>	Black (A4, normal): Up to 61 ppm; Black (A4, duplex): Up to 50 ppm		
First page out <sup>3</sup>			Black (A4, ready): As fast as 5.4 sec; Black (A4, sleep): As fast as 12.2 sec
Print resolution	Black (best): Up to 1200 x 1200 dpi; Techn	ology: FastRes 1200; 1200 x 1200 dpi	
Monthly duty cycle	Up to 300,000 pages (A4); Recommended r	monthly page volume: 5,000 to 30,000	
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB		
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available	le from the Web only), HP postscript level 3 emulation,	native PDF printing (v 1.7), Apple AirPrint™
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unico Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memor cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Print area	Print margins: Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 212 x 352 mm		
Duplex printing	Automatic (standard)		
Сору			
Copy speed	Black (A4): Up to 61 cpm		
Copier specifications	collation, booklet, job build, edge-to-edge, jo	ments (darkness, contrast, background cleanup, sharpi ob storage, ID Copy, Book Copy, A-to-B Copy (different r 600 dpi (flatbed); Up to 600 × 450 dpi (ADF); <b>Reduce/E</b>	media sizes); <b>Maximum number of copies:</b> Up to
Scan			
Scan speed <sup>4</sup>	Normal (A4): Up to 69 ppm/111 ipm (black (A4): Up to 111 ipm (black and white), up to	and white), up to 69 ppm/111 ipm (colour); <b>Duplex</b> 111 ipm (colour)	Normal (A4): Up to 83 ppm/167 ipm (black and white), up to 83 ppm/167 ipm (colour); Duplex (A4): Up to 167 ipm (black and white), up to 167 ipm (colour)
Scan file format <sup>5</sup>		5, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: n easy access USB: PDF, PS, Print Ready files (.prn, .pcl,	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), FOR (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)

Model	HP LaserJet Enterprise MFP M632h	HP LaserJet Enterprise MFP M632fht	HP LaserJet Enterprise Flow MFP M632z
Product number	J8J70A	J8J71A	J8J72A
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Charge Coupled Device (CCD); Scan input modes: Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN; Twain version: Version 2.1; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical scan resolution: Up to 600 dpi		
Scanner Advanced Features  Recommended monthly scan volume			Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone  26,750 to 44,500
Scannable area	Minimum media size (flatbed): No Minimum Size; Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 147		, ,
Bit depth/ Grey scale levels	Maximum media size (ADF): 215.9 x 863.6 mm  Internal: 30 bit; External: 24 bit / 256		
Digital sending	Standard: Scan to E-mail; Save-to-Network Fold	er: Save-to-LISB drive: Send to SharePoint: Send	<b>Standard:</b> Scan to E-mail; Save-to-Network
	to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; <b>Optional:</b> Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management  Folder; Save-to-USB drive; Send to Sharepo Send to FTP; Send to LAN Fax; Send to Internet, Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Folder; Save-to-USB drive; Send to Sharepo Send to FTP; Send to LAN Fax; Send to Internet, Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Folder; Save-to-USB drive; Send to Sharepo Send to FTP; Send to LAN Fax; Send to Internet, Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Folder; Save-to-USB drive; Send to Sharepo Send to FTP; Send to LAN Fax; Send to Internet, Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet, Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet, Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Folder; Save-to-USB drive; Send to Sharepo Send to FTP; Send to LAN Fax; Send to FTP; Send to LAN Fax; Book; SMTP over SSL; Blank Page Removal; Edge Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to FTP; Send to LAN Fax; Send to FTP; Send to FTP; Send to LAN Fax; Book; SMTP over SSL; Blank Page Removal; Edge Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to FTP; Send t		Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR; <b>Optional:</b> Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow
Fax	Optional	Yes, 33.6 kbps	
Fax <sup>6</sup>	Optional	'	
Fax specifications	Fax memory: Up to 500 pages Fax resolution: Standard: 203 x 98 dpi Fine: 203 x 196 dpi; Superfine: 203 x 392 or 300 x 300 dpi; Quick dialing: Up to 1,000 numbers (each with 210 destinations); Telecom compliance: Telecom wired:ES 203 021; R&TTE Directive 1999/5/EC with CE marking (Europe); Other Telecom approvals as required by individual countries.		
Fax smart software features		Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule	
Processor speed	1.2GHz		
Connectivity	Taur. 6 10 1 1/50 20 211 11/50 /a	10.5 10.5 10.5 10.5 10.5 11.5 11.5 11.5	11 \ 4 C;   12 Fil
Standard	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax		
Optional	HP Jetdirect 2900nw Print Server J8031A; HP Jet	direct 3000w NFC/Wireless Accessory J8030A	
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Go	ogle Cloud Print 2.0	
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0 Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x		
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).		
Hard disk		e Secure Hard Disk (AES 256 hardware encryption	
Memory	Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2.5 GB Total	Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2.5 GB Total	Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 3 GB Total
Media handling	Chandards 2: Martinum: C	Chandaud. 3: Maximum: 4	Chandards A: Marimura F
Number of paper trays	Standard: 2; Maximum: 6	Standard: 3; Maximum: 4	Standard: 4; Maximum: 5
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, coloured, rough, heavy rough), monochrome transparency, labels, letterhead, envelope, heavy envelope		
Media size	Custom (metric): Feeder 1: 76 x 127 to 216 x 356 mm; Feeder 2: 99 x 148 to 216 x 297 mm Supported (metric): Feeder 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (JIS single and double); Feeder 2: A4, A5, A5-R, B5 (JIS), 16K  ADF: Oficio; Executive; Statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 68 x 147 mm to 215.9 x 863.6 mm	<b>Custom (metric):</b> Feeder 1: 76 x 127 to 216 x 356 mm; Feeder 2: 99 x 148 to 216 x 297 mm; Feeder 3: 99 x 148 to 216 x 356 mm <b>Supported (metric):</b> Feeder 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (JIS single and double); Feeder 2-3: A4, A5, A5-R, B5 (JIS), 16K <b>ADF:</b> Oficio; Executive; Statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 68 x 147 mm to 215.9 x 863.6 mm	Custom (metric): Feeder 1: 76 x 127 to 216 x 356 mm; Feeder 2: 99 x 148 to 216 x 297 mm; Feeders 3, 4, 5: 99 x 148 to 216 x 356 mm  Supported (metric): Feeder 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (JIS single and double); Feeder 2-5: A4, A5, A5-R, B5 (JIS), 16K  ADF: Oficio; Executive; Statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 68 x 147 mm to 215.9 x 863.6 mm

	HP LaserJet Enterprise MFP M632h	HP LaserJet Enterprise MFP M632fht	HP LaserJet Enterprise Flow MFP M632z
Product number	J8J70A	J8J71A	J8J72A
Media handling	Standard input: 100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder  Standard output: 500-sheet ouput feeder, two-sided printing  Optional input: Optional 1 x 550-sheet paper feeder, 1 x 550-sheet feeder with stand and cabinet, 2,000-sheet feeder high capacity input with 1 x 550-sheet paper feeder and stand, optional 3 x 550-sheet feeder and stand, optional envelope feeder	Standard input: 100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder, 550-sheet input feeder with stand and cabinet Standard output: 500-sheet ouput feeder, two-sided printing Optional input: Optional 1 x 550-sheet feeder, optional envelope feeder	Standard input: 100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder, 2,000-sheet input feeder with 550 sheet input feeder  Standard output: 500-sheet ouput feeder, 500 sheet output stapler stacker, two-sided printing  Optional input: Optional 1 x 550-sheet paper feeder, envelope feeder
Media weight	Feeder 1: 60 to 200 g/m²; Feeder 2: 60 to 120 g/m²; <b>ADF:</b> 45 to 199 g/m²	Feeder 1: 60 to 200 g/m <sup>2</sup> ; Feeder 2-3: 60 to 120 g/m <sup>2</sup> ; <b>ADF:</b> 45 to 199 g/m <sup>2</sup>	Feeder 1: 60 to 199 g/m²; Feeder 2-5: 60 to 120 g/m²; <b>ADF:</b> 45 to 199 g/m²
Input capacity	Tray 1: Sheets: 100; Transparencies, cardstock (163 g/m²): 50; Cardstock (200 g/m²): 30; Envelopes: 10  Tray 2: Sheets: 550; Labels, transparencies: small quaneities  Maximum: Up to 3,750 sheets  ADF: Standard, 150 sheets	Tray 1: Sheets: 100; Transparencies, cardstock (163 g/m²): 50; Cardstock (200 g/m²): 30; Envelopes: 10  Tray 2: Sheets: 550; Labels, transparencies: small quantities  Tray 3: Feeder 3: 550 sheets; Labels, transparencies: 100  Maximum: Up to 1,750 sheets  ADF: Standard, 150 sheets	Tray 1: Sheets: 100; Transparencies, cardstock (163 g/m²): 50; Cardstock (200 g/m²): 30; Envelopes: 10  Tray 2: Sheets: 550; Labels, transparencies: small quantities  Tray 3: Feeder 3: Sheets: 550; Labels, transparencies: 100; Feeder 4: 2,000 sheets  Maximum: Up to 3,750 sheets  ADF: Standard, 150 sheets
Output capacity	Standard: Up to 500 sheets     Stan       Envelopes: Up to 75 envelopes     Enve       Transparencies: Up to 200 sheets     Trans		Standard: Up to 1,000 sheets Envelopes: Up to 75 envelopes Transparencies: Up to 200 sheets Maximum: Up to 1,000 sheets
Compatible operating systems	Maximum: Up to 500 sheets  Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.11 El Capitan, OS X 10.10 Yosemite, UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows 8/8.1 all 32/64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)		
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003 R2, Citrix on Windows Server 2008/2008 R2/2008 R2/2008 R2/2008 R2 SP1, Citrix on Windows Server 2012/2012 R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32/64-bit, Citrix XenApp 6.0/6.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenApp 7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Novell NetWare 6.5/SP8 Novell Clients http://www.novell.com/iprint, Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers http://www.novell.com/iprint), Windows Server 2003/2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/64-bit Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/64-bit Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/64-bit Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/64-bit Standard/Enterprise/Datacenter (+ Cluster & Terminal Services		
	Windows: 2GB available hard disk space; OS hardware requirements see http://www.microsoft.com;  Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see http://www.Apple.com for more info		
Minimum system requirements	Mac: 1.3 GB available hard drive space; Internet;	OS hardware requirements see http://www.Apple.	n; com for more info
Minimum system requirements  Software included	Mac: 1.3 GB available hard drive space; Internet;  HP Connected, HP Device Experience (DXP), HP F http://www.123.HP.com or OS App Source for pr	; OS hardware requirements see http://www.Apple. PCL 6 Printer Driver, HP Software Installer/Uninstalle rinter software), online user manuals	n; com for more info er, Mac OS Welcome Screen (Directs users to
	Mac: 1.3 GB available hard drive space; Internet;  HP Connected, HP Device Experience (DXP), HP F http://www.123.HP.com or OS App Source for pr Identity management: Kerberos authentication; solutions (e.g.; badge readers); Network: IPsec/fi configuration Plug-in; 802.1X authentication (EA Encrypted PDF & Email (uses FIPS 140 validated Device: Security lock slot; USB port disablement; Technology - Constant in-device monitoring for a	; OS hardware requirements see http://www.Apple. PCL 6 Printer Driver, HP Software Installer/Uninstaller rinter software), online user manuals LDAP authentication; 1000 user PIN codes; Optiona irewall with Certificate; Pre-Shared Key, and Kerber AP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; A toryptographic libraries from Microsoft); Secure Era ; Hardware integration pocket for security solutions attacks; SureStart Secure Boot - BIOS Integrity Cher curity management: Compatible with HP JetAdvant	n; com for more info er, Mac OS Welcome Screen (Directs users to al HP and 3rd party advanced authentication os authentication; Supports WJA-10 IPsec ccess Control List; Data: Storage Encryption; se; SSL/TLS (HTTPS); Encrypted Credentials; ; Intrusion Detection with Red Balloon Security cking with self-healing capability; Whitelisting -
Software included Security management	Mac: 1.3 GB available hard drive space; Internet;  HP Connected, HP Device Experience (DXP), HP F http://www.123.HP.com or OS App Source for pr Identity management: Kerberos authentication; solutions (e.g.; badge readers); Network: IPsec/fi configuration Plug-in; 802.1X authentication (EA Encrypted PDF & Email (uses FIPS 140 validated Device: Security lock slot; USB port disablement; Technology - Constant in-device monitoring for a loads only known good code (DLLs, EXEs,); Sec Messages processed and accessible in Arcsight a	; OS hardware requirements see http://www.Apple. PCL 6 Printer Driver, HP Software Installer/Uninstaller rinter software), online user manuals LDAP authentication; 1000 user PIN codes; Optiona irewall with Certificate; Pre-Shared Key, and Kerber AP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; A toryptographic libraries from Microsoft); Secure Era ; Hardware integration pocket for security solutions attacks; SureStart Secure Boot - BIOS Integrity Cher curity management: Compatible with HP JetAdvant	n; com for more info er, Mac OS Welcome Screen (Directs users to al HP and 3rd party advanced authentication os authentication; Supports WJA-10 IPsec ccess Control List; Data: Storage Encryption; se; SSL/TLS (HTTPS); Encrypted Credentials; ; Intrusion Detection with Red Balloon Security cking with self-healing capability; Whitelisting - age Security Manager, Device Security Syslog
Software included	Mac: 1.3 GB available hard drive space; Internet;  HP Connected, HP Device Experience (DXP), HP F http://www.123.HP.com or OS App Source for pr Identity management: Kerberos authentication; solutions (e.g.; badge readers); Network: IPsec/fi configuration Plug-in; 802.1X authentication (EA Encrypted PDF & Email (uses FIPS 140 validated Device: Security lock slot; USB port disablement; Technology - Constant in-device monitoring for a loads only known good code (DLLs, EXEs,); See Messages processed and accessible in Arcsight a HP JetAdvantage Security Manager; HP SNMP Pr	; OS hardware requirements see http://www.Apple. PCL 6 Printer Driver, HP Software Installer/Uninstaller rinter software), online user manuals  LDAP authentication; 1000 user PIN codes; Optiona irewall with Certificate; Pre-Shared Key, and Kerber AP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; A I cryptographic libraries from Microsoft); Secure Era ; Hardware integration pocket for security solutions attacks; SureStart Secure Boot - BIOS Integrity Chec curity management: Compatible with HP JetAdvant and Splunk SIEMs	n; com for more info er, Mac OS Welcome Screen (Directs users to al HP and 3rd party advanced authentication os authentication; Supports WJA-10 IPsec ccess Control List; Data: Storage Encryption; se; SSL/TLS (HTTPS); Encrypted Credentials; ; Intrusion Detection with Red Balloon Security cking with self-healing capability; Whitelisting - age Security Manager, Device Security Syslog
Software included Security management Printer management	Mac: 1.3 GB available hard drive space; Internet;  HP Connected, HP Device Experience (DXP), HP F http://www.123.HP.com or OS App Source for pr Identity management: Kerberos authentication; solutions (e.g.; badge readers); Network: IPsec/fi configuration Plug-in; 802.1X authentication (EA Encrypted PDF & Email (uses FIPS 140 validated Device: Security lock slot; USB port disablement; Technology - Constant in-device monitoring for a loads only known good code (DLLs, EXEs,); See Messages processed and accessible in Arcsight a HP JetAdvantage Security Manager; HP SNMP Pr for HP Universal Print Driver  Minimum: 512 x 558 x 640 mm; Maximum: 1030 x 808 x 865 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)	; OS hardware requirements see http://www.Apple. PCL 6 Printer Driver, HP Software Installer/Uninstaller rinter software), online user manuals LDAP authentication; 1000 user PIN codes; Optiona irrewall with Certificate; Pre-Shared Key, and Kerber AP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; A l cryptographic libraries from Microsoft); Secure Era ; Hardware integration pocket for security solutions attacks; SureStart Secure Boot - BIOS Integrity Chec curity management: Compatible with HP JetAdvant and Splunk SIEMs roxy Agent; HP Web JetAdmin Software; HP WS Pro  Minimum: 665 x 600 x 1094 mm; Maximum: 1030 x 890 x 1356 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)	n; com for more info er, Mac OS Welcome Screen (Directs users to al HP and 3rd party advanced authentication os authentication; Supports WJA-10 IPsec ccess Control List; Data: Storage Encryption; se; SSL/TLS (HTTPS); Encrypted Credentials; ; Intrusion Detection with Red Balloon Security cking with self-healing capability; Whitelisting - age Security Manager, Device Security Syslog  Proxy Agent; Printer Administrator Resource Kit  Minimum: 661 x 658 x 1234 mm; Maximum: 1030 x 890 x 1500 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)
Software included Security management Printer management Dimensions and Weight	Mac: 1.3 GB available hard drive space; Internet;  HP Connected, HP Device Experience (DXP), HP F http://www.123.HP.com or OS App Source for pr Identity management: Kerberos authentication; solutions (e.g.; badge readers); Network: IPsec/fi configuration Plug-in; 802.1X authentication (EA Encrypted PDF & Email (uses FIPS 140 validated Device: Security lock slot; USB port disablement; Technology - Constant in-device monitoring for a loads only known good code (DLLs, EXEs,); See Messages processed and accessible in Arcsight a HP JetAdvantage Security Manager; HP SNMP Pr for HP Universal Print Driver  Minimum: 512 x 558 x 640 mm; Maximum: 1030 x 808 x 865 mm (right side jam access door open, left side cartridge door open, all	; OS hardware requirements see http://www.Apple. PCL 6 Printer Driver, HP Software Installer/Uninstaller rinter software), online user manuals LDAP authentication; 1000 user PIN codes; Options irewall with Certificate; Pre-Shared Key, and Kerber AP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; A I cryptographic libraries from Microsoft); Secure Era ; Hardware integration pocket for security solutions attacks; SureStart Secure Boot - BIOS Integrity Chec curity management: Compatible with HP JetAdvant and Splunk SIEMs roxy Agent; HP Web JetAdmin Software; HP WS Pro  Minimum: 665 x 600 x 1094 mm; Maximum: 1030 x 890 x 1356 mm (right side jam access door open, left side cartridge door open, all	n; com for more info er, Mac OS Welcome Screen (Directs users to al HP and 3rd party advanced authentication os authentication; Supports WJA-10 IPsec ccess Control List; Data: Storage Encryption; se; SSL/TLS (HTTPS); Encrypted Credentials; ; Intrusion Detection with Red Balloon Security king with self-healing capability; Whitelisting - age Security Manager, Device Security Syslog  Proxy Agent; Printer Administrator Resource Kit  Minimum: 661 x 658 x 1234 mm; Maximum: 1030 x 890 x 1500 mm (right side jam access door open, left side cartridge door open, all
Software included  Security management  Printer management  Dimensions and Weight  Printer dimensions (W x D x H)	Mac: 1.3 GB available hard drive space; Internet;  HP Connected, HP Device Experience (DXP), HP F http://www.123.HP.com or OS App Source for pr Identity management: Kerberos authentication; solutions (e.g.; badge readers); Network: IPsec/fi configuration Plug-in; 802.1X authentication (EA Encrypted PDF & Email (uses FIPS 140 validated Device: Security lock slot; USB port disablement; Technology - Constant in-device monitoring for a loads only known good code (DLLs, EXEs,); See Messages processed and accessible in Arcsight a HP JetAdvantage Security Manager; HP SNMP Pr for HP Universal Print Driver  Minimum: 512 x 558 x 640 mm; Maximum: 1030 x 808 x 865 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)	; OS hardware requirements see http://www.Apple. PCL 6 Printer Driver, HP Software Installer/Uninstaller rinter software), online user manuals LDAP authentication; 1000 user PIN codes; Optiona irrewall with Certificate; Pre-Shared Key, and Kerber AP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; A l cryptographic libraries from Microsoft); Secure Era ; Hardware integration pocket for security solutions attacks; SureStart Secure Boot - BIOS Integrity Chec curity management: Compatible with HP JetAdvant and Splunk SIEMs roxy Agent; HP Web JetAdmin Software; HP WS Pro  Minimum: 665 x 600 x 1094 mm; Maximum: 1030 x 890 x 1356 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)	n; com for more info er, Mac OS Welcome Screen (Directs users to al HP and 3rd party advanced authentication os authentication; Supports WJA-10 IPsec ccess Control List; Data: Storage Encryption; se; SSL/TLS (HTTPS); Encrypted Credentials; ; Intrusion Detection with Red Balloon Security cking with self-healing capability; Whitelisting - age Security Manager, Device Security Syslog  Proxy Agent; Printer Administrator Resource Kit  Minimum: 661 x 658 x 1234 mm; Maximum: 1030 x 890 x 1500 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)
Security management  Printer management  Dimensions and Weight  Printer dimensions (W x D x H)  Package dimensions (W x D x H)  Printer weight	Mac: 1.3 GB available hard drive space; Internet;  HP Connected, HP Device Experience (DXP), HP F http://www.123.HP.com or OS App Source for pr Identity management: Kerberos authentication; solutions (e.g.; badge readers); Network: IPsec/fi configuration Plug-in; 802.1X authentication (EA Encrypted PDF & Email (uses FIPS 140 validated Device: Security lock slot; USB port disablement; Technology - Constant in-device monitoring for a loads only known good code (DLLs, EXEs,); See Messages processed and accessible in Arcsight a HP JetAdvantage Security Manager; HP SNMP Pr for HP Universal Print Driver  Minimum: 512 x 558 x 640 mm; Maximum: 1030 x 808 x 865 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open) 700 x 639 x 785 mm	OS hardware requirements see http://www.Apple. PCL 6 Printer Driver, HP Software Installer/Uninstallerinter software), online user manuals LDAP authentication; 1000 user PIN codes; Optiona iriewall with Certificate; Pre-Shared Key, and Kerber AP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; A cryptographic libraries from Microsoft); Secure Era; Hardware integration pocket for security solutions attacks; SureStart Secure Boot - BIOS Integrity Checurity management: Compatible with HP JetAdvant and Splunk SIEMs roxy Agent; HP Web JetAdmin Software; HP WS Pro  Minimum: 665 × 600 × 1094 mm; Maximum: 1030 × 890 × 1356 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)  856 × 760 × 1510 mm	n; com for more info er, Mac OS Welcome Screen (Directs users to al HP and 3rd party advanced authentication os authentication; Supports WJA-10 IPsec ccess Control List; Data: Storage Encryption; se; SSL/TLS (HTTPS); Encrypted Credentials; ; Intrusion Detection with Red Balloon Security king with self-healing capability; Whitelisting - age Security Manager, Device Security Syslog  Proxy Agent; Printer Administrator Resource Kit  Minimum: 661 x 658 x 1234 mm; Maximum: 1030 x 890 x 1500 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)  856 x 760 x 1660 mm
Software included Security management  Printer management  Dimensions and Weight  Printer dimensions (W x D x H)  Package dimensions (W x D x H)	Mac: 1.3 GB available hard drive space; Internet;  HP Connected, HP Device Experience (DXP), HP F http://www.123.HP.com or OS App Source for pr Identity management: Kerberos authentication; solutions (e.g.; badge readers); Network: IPsec/fi configuration Plug-in; 802.1X authentication (EA Encrypted PDF & Email (uses FIPS 140 validated Device: Security lock slot; USB port disablement; Technology - Constant in-device monitoring for a loads only known good code (DLLs, EXEs,); See Messages processed and accessible in Arcsight a HP JetAdvantage Security Manager; HP SNMP Pr for HP Universal Print Driver  Minimum: 512 x 558 x 640 mm; Maximum: 1030 x 808 x 865 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open) 700 x 639 x 785 mm  33.2 kg	CS hardware requirements see http://www.Apple. CL 6 Printer Driver, HP Software Installer/Uninstallerinter software), online user manuals  LDAP authentication; 1000 user PIN codes; Optionalizewall with Certificate; Pre-Shared Key, and Kerber AP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; AI cryptographic libraries from Microsoft); Secure Eral; Hardware integration pocket for security solutions attacks; SureStart Secure Boot - BIOS Integrity Checcurity management: Compatible with HP JetAdvant and Splunk SIEMs  Toxy Agent; HP Web JetAdmin Software; HP WS Pro  Minimum: 665 × 600 × 1094 mm; Maximum: 1030 × 890 × 1356 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)  856 × 760 × 1510 mm  52.5 kg  81.9 kg	n; com for more info er, Mac OS Welcome Screen (Directs users to all HP and 3rd party advanced authentication os authentication; Supports WJA-10 IPsec ccess Control List; Data: Storage Encryption; se; SSL/TLS (HTTPS); Encrypted Credentials; ; Intrusion Detection with Red Balloon Security cking with self-healing capability; Whitelisting - age Security Manager, Device Security Syslog  Proxy Agent; Printer Administrator Resource Kit  Minimum: 661 × 658 × 1234 mm; Maximum: 1030 × 890 × 1500 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)  856 × 760 × 1660 mm  64.3 kg

Model	HP LaserJet Enterprise MFP M632h	HP LaserJet Enterprise MFP M632fht	HP LaserJet Enterprise Flow MFP M632z
Product number	J8J70A	J8J71A	J8J72A
Acoustics	Acoustic power emissions: 7.0 Bel; Acoustic pressure emissions: 56 dB(A)	Acoustic power emissions: 7.0 Bel; Acoustic pressure emissions: 54 dB(A)	Acoustic power emissions: 6.9 Bel; Acoustic pressure emissions: 54 dB(A)
Power	Requirements: Input voltage: 220V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A; Consumption7: 740 watts (printing/copying), 29.0 watts (ready), 3.3 watts (sleep), <0.1 watts (Auto Off/Manual On), <0.1 watts (Manual Off); Typical Electricity Consumption (TEC)8: ES: 2.849 kWh/week; BA: 2.626 kWh/week; Power supply type: Built in 220V Power Supply		
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy		
Certifications	CISPR 22:2008/EN 55022:2010 (Class A), EN 61000-3-2:2006 +A1:2009 + A2:2009; EN 61000-3-3:2008; EN 55024:2010; EMC Directive 2004/108/EC with CE Marking (Europe); Other EMC approvals as required by individual countries ENERGY STAR® qualified; Blue Angel; CECP; EPEAT® Silver		
What's in the box <sup>9</sup>	HP LaserJet Enterprise MFP M632h Printer; HP Black Original LaserJet Toner Cartridge (11.000 pages); CD with software drivers and documentation; Documentation (hardware install guide); Power cord	HP LaserJet Enterprise MFP M632fht Printer; HP Black Original LaserJet Toner Cartridge (11,000 pages); CD with software drivers and documentation; Documentation (hardware install guide); Power cord	HP LaserJet Enterprise Flow MFP M632z Printer; HP Black Original LaserJet Toner Cartridge (11,000 pages); CD with software drivers and documentation; Documentation (hardware install guide); Power cord
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.		

#### **Footnotes**

- <sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims.
- <sup>2</sup> HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin.
- 3 Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
  4 Based on HP testing using the ENERGY STAR® programme's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For
- details see http://www.hp.com/go/Liclaims.

  More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies
- <sup>6</sup> HP 37X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately.

- Technical specifications disclaimers

  Average colour composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see
- <sup>2</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>3</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>4</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

- <sup>5</sup> Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support.

  <sup>6</sup> Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17.
- <sup>7</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 v device
- Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 v device
- Cartridges included; Yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies













### http://www.hp.com/uk

The product could differ from the images shown. @ Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

