

HP Color LaserJet Enterprise M553 series



Fast speeds. Brilliant colour.

Speed and colour are the perfect pair for your business. That's why this energy-efficient printer and Original HP Toner cartridges with JetIntelligence combine to produce vibrant, professional-quality documents right when employees need them.



Print first page out



Less energy



Color touchscreen



Wireless direct



NFC



HP JetAdvantage compatible

Colour touchscreen and HP JetAdvantage compatible are available only on M553x.

Wifi printing and NFC are embedded on M553x and offered as an accessory on the M553n and M553dn.

Enjoy high-speed performance, right when you need it.

- Print from sleep mode in as fast as 9 seconds.¹ Get two-sided prints as quickly as one – up to 40 ipm.²
- This printer uses exceptionally low amounts of energy – thanks to smart media-sensing and toner technology.³
- Equip employees to fly through tasks with the adjustable 10.9 cm (4.3-inch) colour touchscreen.
- Consistently print high-quality documents across a variety of media – including A5 – with automatic media sensing.

Keep your printer fleet simple, protected and streamlined.

- Centralise control of your print environment with HP Web Jetadmin⁴ – and help build business efficiency.
- Protect sensitive data with embedded or optional features, including HP JetAdvantage Security Solutions.⁵
- Easily develop, deploy and add on HP and third-party solutions. Choose the optional 1 GB memory upgrade.⁶
- Increase security, restore control and help avoid additional expenses with HP JetAdvantage Private Print.⁷

Print whenever business demands.

- Enable wireless direct printing in the office – from mobile devices – without accessing the network.⁸
- Print with just a touch of your NFC-enabled mobile device to this printer – no network needed.⁹
- Easily print from a variety of smartphones and tablets – generally no setup or apps required.¹⁰

Get more pages, performance and protection.

- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.¹¹
- Count on professional quality at fast speeds – high-performance toner works best with your HP printer.
- Help ensure the authentic HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with preinstalled cartridges. Replace them with optional high-yield cartridges.¹²


Product walkaround

HP Color LaserJet Enterprise M553x shown:

1. Intuitive 10.9 cm (4.3-inch) colour VGA control panel tilts up for easier viewing
2. Home button (returns to home screen)
3. Hardware Integration Pocket (HIP) for solution integration
4. Easy-access USB port to print files directly¹³
5. Right door (access to fuser and paper path)
6. Convenient front on/off switch
7. 100-sheet multipurpose tray
8. Front door access to Original HP Toner cartridges with JetIntelligence
9. Lower-right door (to access paper path)
10. Two 550-sheet input trays for a 1,200 sheet total input capacity
11. 250-sheet output bin
12. Built-in wireless direct¹⁴ /NFC touch-to-print¹⁵
13. Built-in automatic two-sided printing
14. 1 GB memory and a 1.2 GHz processor
15. Access port for optional Kensington-style lock
16. HP Jetdirect Gigabit Ethernet embedded print server
17. Hi-Speed USB 2.0 printing port
18. Hi-Speed USB 2.0 port (for connecting third-party devices)



Series at a glance



| Model | HP Color LaserJet Enterprise M553n | HP Color LaserJet Enterprise M553dn | HP Color LaserJet Enterprise M553x |
|---|------------------------------------|-------------------------------------|--|
| Product number | B5L24A | B5L25A | B5L26A |
| Print speed in pages per minute (ppm), A4¹⁶ | 38 | 38 | 38 |
| 100-sheet multipurpose tray, 550-sheet input tray 2 | Yes | Yes | Yes |
| 550-sheet input tray 3 | Optional | Optional | Yes |
| 2 550-sheet input trays 4 and 5 | Optional | Optional | Optional |
| Printer cabinet | Optional | Optional | Optional |
| Control panel | 4-line colour display with keypad | 4-line colour display with keypad | Adjustable 10.9 cm (4.3-inch) colour touchscreen |
| Hard disk drive | Optional | Optional | Optional |
| Memory (standard/maximum) | 1 GB/2 GB | 1 GB/2 GB | 1 GB/2 GB |
| Hardware Integration Pocket (HIP) | Not available | Yes | Yes |
| Automatic duplexing | Not available | Yes | Yes |
| Wireless direct¹⁴ and NFC touch-to-print¹⁵ | Optional | Optional | Yes |
| ENERGY STAR[®] certified/Blue Angel compliant | Not available | Yes | Yes |

Accessories, Supplies and Support

| | |
|--|--|
| Supplies | B5L36A HP Color LaserJet B5L36A 220V Fuser Kit |
| | B5L37A HP Color LaserJet B5L37A Toner Collection Unit |
| | CF360A HP 508A Black Original LaserJet Toner Cartridge 6,000 pages |
| | CF360X HP 508X High Yield Black Original LaserJet Toner Cartridge 12,500 pages |
| | CF361A HP 508A Cyan Original LaserJet Toner Cartridge |
| | CF361X HP 508X High Yield Cyan Original LaserJet Toner Cartridge |
| | CF362A HP 508A Yellow Original LaserJet Toner Cartridge |
| | CF362X HP 508X High Yield Yellow Original LaserJet Toner Cartridge |
| | CF363A HP 508A Magenta Original LaserJet Toner Cartridge |
| | CF363X HP 508X High Yield Magenta Original LaserJet Toner Cartridge |
| | Accessories |
| B5L34A HP Color LaserJet 550-sheet Media Tray | |
| B5L51A HP Color LaserJet Printer Cabinet | |
| F5S62A HP Trusted Platform Module Accessory | |
| G6W84A HP 1 GB 90-pin DDR3 DIMM | |
| Connectivity | B5L28A HP Internal USB Ports |
| Service and support | U8CG3E HP 3 year Next business day with Defective Media Retention Color LaserJet M552/3 Hardware Support |
| | U8CG4E HP 3 year 4 hour 9x5 with Defective Media Retention Color LaserJet M552/3 Hardware Support |
| | U8CH0E HP 4 year Next business day with Defective Media Retention Color LaserJet M552/3 Support |
| | U8CH1E HP 5 year Next business day with Defective Media Retention Color LaserJet M552/3 Support |
| | U8CJ4PE HP 1 year Post Warranty Next business day with Defective Media Retention Color LaserJet M552/3 Hardware Support |
| | U8CJ5PE HP 1 year Post Warranty 4 hour 9x5 with Defective Media Retention Color LaserJet M552/3 Hardware Support |
| | U8CJ7PE HP 2 year Post Warranty Next business day with Defective Media Retention Color LaserJet M552/3 Hardware Support |

Technical specifications

| Model | HP Color LaserJet Enterprise M553n | HP Color LaserJet Enterprise M553dn | HP Color LaserJet Enterprise M553x |
|---|---|---|---|
| Product number | B5L24A | B5L25A | B5L26A |
| Print speed⁶ | Up to 38 ppm black (A4); Up to 38 ppm colour (A4); Up to 38 ipm black duplex (A4); Up to 38 ipm colour duplex (A4) | | |
| First page out time⁷ | As fast as 6 sec black (A4, ready); As fast as 7 sec colour (A4, ready) | | |
| Print resolution | Up to 1200 x 1200 dpi black; Up to 1200 x 1200 dpi colour, HP ImageREt 3600 (best) | | |
| Print technology | Laser | | |
| Print Area | Print margins: Top: 2 mm absolute/5 mm assured image; Bottom: 2 mm absolute/5 mm assured image; Left: 2 mm absolute/5 mm assured image; Right: 2 mm absolute/5 mm assured image | | |
| Print languages | HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, native PDF printing (v1.7) | | |
| Mobile printing capability⁴ | HP ePrint, Apple AirPrint™, Mopria-certified | | |
| Monthly duty cycle^{8, 9} | Up to 80,000 pages (A4), Recommended monthly page volume: 2,000 to 6,000 pages | | |
| Fonts and typefaces | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode font (Andale Mono WorldType); 2 internal Windows Vista/8 fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet fonts and IPDS emulation available at http://www.hp.com/go/laserjetfonts | | |
| SureSupply supported¹⁰ | Yes | | |
| Processor speed | 1.2 GHz | | |
| Connectivity | Standard: Hi-Speed USB 2.0 port; Built-in Fast Ethernet 10/100/1000Base-TX network port | | |
| Network ready | Standard (built-in Gigabit Ethernet) | | |
| Memory | Standard: 1 GB; Maximum: 2 GB | | |
| Hard disk | 4 GB non-volatile storage, firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data, Secure Erase – Disk | | |
| Functions | Print | | |
| Media types | Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transparency, labels, letterhead, envelope, preprinted, prepunched, coloured, rough, opaque film, user-defined | | |
| Paper size | Custom metric: Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 356 mm Supported metric: Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6; Custom: 102 x 148 to 216 x 297 mm; Optional Trays 3+: A4, RA4, A5, B5 (JIS); Custom: 102 x 148 to 216 x 356 mm | | |
| Paper handling | Standard input: 100-sheet multipurpose tray, 550-sheet input tray 2 Optional/Input: 550-sheet media input tray 3, 550-sheet media input tray 4, 550-sheet media input tray 5 | Standard input: 100-sheet multipurpose tray, 550-sheet input tray 2 Optional/Input: 550-sheet media input tray 3, 550-sheet media input tray 4, 550-sheet media input tray 5 | Standard input: 100-sheet multipurpose tray, 550-sheet input tray 2, 550-sheet media input tray 3 Optional/Input: 550-sheet media input tray 4, 550-sheet media input tray 5 |
| Input capacity | Tray 1: Sheets (75 g/m ² paper): 100; Transparencies, cardstock (163 g/m ²): 50; Cardstock (216 g/m ²): 30; Envelopes: 10 Tray 2: Sheets (75 g/m ² paper): 550; Labels, cardstock (163 g/m ²), transparencies: 200 Tray 3: Sheets (75 g/m ² paper): 550; Labels, cardstock (163 g/m ²), transparencies: 200 Maximum: Up to 2,300 sheets | | |
| Output capacity | Standard: Up to 250 sheets, Up to 10 envelopes, Up to 100 sheets Transparencies Maximum: Up to 250 sheets | | |
| Paper weight | Tray 1: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Tray 2: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Optional Trays 3+: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper) | | |

| Model | HP Color LaserJet Enterprise M553n | HP Color LaserJet Enterprise M553dn | HP Color LaserJet Enterprise M553x |
|--|---|--|---|
| Product number | B5L24A | B5L25A | B5L26A |
| Standard connectivity | Hi-Speed USB 2.0 port; Built-in Fast Ethernet 10/100/1000Base-TX network port | | |
| Replacement cartridges³ | HP 508A Black LaserJet Toner Cartridge (~6,000 ISO yield) CF360A; HP 508X Black LaserJet Toner Cartridge (~12,500 ISO yield) CF360X; HP 508A Cyan LaserJet Toner Cartridge (~5,000 ISO yield) CF361A; HP 508X Cyan LaserJet Toner Cartridge (~9,500 ISO yield) CF361X; HP 508A Yellow LaserJet Toner Cartridge (~5,000 ISO yield) CF362A; HP 508X Yellow LaserJet Toner Cartridge (~9,500 ISO yield) CF362X; HP 508A Magenta LaserJet Toner Cartridge (~5,000 ISO yield) CF363A; HP 508X Magenta LaserJet Toner Cartridge (~9,500 ISO yield) CF363X | | |
| Supported network protocols | IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, ePrint | | |
| Compatible operating systems¹¹ | Windows OS compatible with In-Box Driver: Windows 10 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 7 all 32-bit and 64-bit editions, Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows OS compatible with Universal Print Driver (from HP.com): Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions, Windows Vista all 32-bit and 64-bit editions (Home Basic, Premium, Professional, etc.); Mac OS (HP print drivers available from HP.com and Apple Store): OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Mobile OS (In-OS drivers): iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP): SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS: UNIX | | |
| Minimum system requirements | Windows: Windows 10 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 7 all 32-bit and 64-bit editions, Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows OS compatible with Universal Print Driver (from HP.com): Windows 10 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 7 all 32-bit and 64-bit editions, Windows Vista all 32-bit and 64-bit editions (Home Basic, Premium, Professional, etc.); Mobile OS (In-OS drivers): iOS, Android, Windows 8/8.1/10, RT; Linux OS (In-OS HPLIP): SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS: UNIX; CD-ROM, DVD drive or Internet connection; Dedicated USB, network connection or wireless connection; 200 MB available hard disk space Mac: Mac OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; 1 GB available hard disk space | | |
| Software included | Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; Mac OS: Welcome Screen (directs users to HP.com or OS App Store for LaserJet software) | | |
| Security management | Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key authentication and Kerberos authentication; Support for WJA-10 IPsec configuration using IPsec Plug-in; Access port for Kensington-style lock | | |
| Printer management | Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP Imaging and Printing Security Center; HP Utility (Mac) | | |
| Printer dimensions (W x D x H) | Minimum: 458 x 479 x 399 mm Maximum: 699 x 479 x 399 mm | Minimum: 458 x 479 x 399 mm Maximum: 699 x 479 x 399 mm | Minimum: 458 x 479 x 581 mm Maximum: 699 x 479 x 581 mm |
| Package dimensions (W x D x H) | 600 x 500 x 598 mm | 600 x 500 x 598 mm | 750 x 600 x 598 mm |
| Printer Weight | 27 kg | 27.5 kg | 33.4 kg |
| Package weight | 30.8 kg | 31.3 kg | 38.6 kg |
| Operating environment | Temperature: 15 to 30°C, Humidity: 30 to 70% RH | | |
| Storage | Temperature: 0 to 35°C, Humidity: 10 to 90% RH | | |
| Acoustics⁵ | Acoustic power emissions: 6.5 B(A); Acoustic pressure emissions: 51 dB(A) | | |
| Power² | Requirements: Input voltage: 200 to 240 VAC, 50 Hz Consumption: 617 watts (active printing), 33.7 watts (ready), 3.95 watts (sleep), 1 watt (auto-off/wake on LAN), 0.1 watts (auto-off/manual on), 0.1 watts (off) Power supply type: Built-in power supply | | |
| Certifications | CISPR 22:2008 Class A, EN 55022:2010 Class A, EN 55024:2010, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2008 | | |
| What's in the box¹ | HP Color LaserJet Enterprise M553n Printer; Four preinstalled HP LaserJet toner cartridges (yield ~6,000 pages black and ~5,000 pages colour); Toner collection unit; In-box documentation; Software CD; Power cord; 100-sheet multipurpose tray 1; 550-sheet input tray 2 | HP Color LaserJet Enterprise M553dn Printer; Four preinstalled HP LaserJet toner cartridges (yield ~6,000 pages black and ~5,000 pages colour); Toner collection unit; In-box documentation; Software CD; Power cord; 100-sheet multipurpose tray 1; 550-sheet input tray 2 | HP Color LaserJet Enterprise M553x Printer; Four preinstalled HP LaserJet toner cartridges (yield ~6,000 pages black and ~5,000 pages colour); Toner collection unit; In-box documentation; Software CD; Power cord; 100-sheet multipurpose tray 1; 550-sheet input tray 2; 550-sheet input tray 3 |
| Warranty | One-year, on-site warranty. | | |

Footnotes

¹Measured using ISO/IEC 17629. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.;
²Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.;
³Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov vs. competitive single-function colour laser printers with print speeds between 31 and 44 pages per minute (ppm) as of November 2014. Actual results may vary.;
⁴Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at <http://www.hp.com/go/webjetadmin>.; ⁵Some solutions require download or additional purchase. Learn more at <http://www.hp.com/go/printingsolutions>.; ⁶Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.;
⁷Available only in selected European countries. Standard only on the HP LaserJet Enterprise M553x. Feature is available at no charge and requires the printer be connected to the Internet with web services enabled. For more information, see <http://www.hpjetadvantage.com>.; ⁸Wireless direct printing is standard on the HP LaserJet Enterprise M553x only. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see <http://www.hp.com/go/businessmobileprinting>.; ⁹Touch-to-print capability is standard on the HP LaserJet Enterprise M553x only. Mobile device must support near-field communications (NFC)-enabled printing. For more information, see <http://www.hp.com/go/mobileprinting>.; ¹⁰Local printing requires mobile device and printer to be on the same network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP Web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See <http://www.hp.com/go/mobileprinting> for more details. Some features require purchase of an optional accessory.;
¹¹More pages vs. predecessor cartridges claim based on page yield comparison of HP 507A/X LaserJet Black Toner Cartridges to HP 508A/X LaserJet Black Toner Cartridges, and HP 507X LaserJet Cyan, Magenta and Yellow Toner Cartridges to HP 508X LaserJet Cyan, Magenta and Yellow Toner Cartridges. The claim does not apply to the HP 508A Cyan, Magenta and Yellow LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>.; ¹²High-yield Original HP 508X LaserJet Toner cartridges not included; please purchase separately.;
¹³An administrator must enable the easy-access USB port before use.;
¹⁴Wireless direct printing is standard on the HP LaserJet Enterprise M553x only.; Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see <http://www.hp.com/go/businessmobileprinting>.; ¹⁵Touch-to-print capability is standard on the HP Color LaserJet Enterprise M553x only.; Mobile device must support near-field communications (NFC)-enabled printing. For more information, see <http://www.hp.com/go/mobileprinting>.; ¹⁶Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.

Technical specifications disclaimers

¹Toner cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of colour pages printed and other factors.;
²Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption in Auto-Off mode depends on customer network switch capability, user configuration and network activity. Off-mode power may vary while checking network packets for print jobs.;
³Average colour composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details, see <http://www.hp.com/go/learnaboutsupplies>.; ⁴May require a firmware upgrade to be compatible, download at <http://www.hp.com/go/support>.; ⁵Acoustic values are subject to change. For current information, see <http://www.hp.com/support>. Configuration tested: base model, simplex printing, A4 paper at an average of 38 ppm.;
⁶Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.;
⁷Measured using ISO/IEC 17629. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.;
⁸Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.;
⁹HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.;
¹⁰HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies. Internet access required. To learn more, visit <http://www.hp.com/go/SureSupply>.; ¹¹Not all compatible Operating Systems are supported with In-Box software. Full solution software available only for Windows 7 and newer. Legacy Windows Operating Systems (XP, Vista and equivalent servers) get print and scan drivers only. Windows RT OS for tablets (32-bit and 64-bit) uses a simplified HP print driver built into the RT OS. UNIX modelscripts are available on <http://www.hp.com> (modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software.



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2015 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4AA5-6746EEE, March 2015

