



A wide-aspect 30-inch LCD monitor with outstanding display quality and enhanced flexibility.

## HP LP3065 Flat Panel Monitor

The HP LP3065 Flat Panel Monitor offers best-in-class performance and presentation features on a stunning 30-inch wide-aspect screen well suited for power users, designers, content creators, and professionals working in visualization who need the best color and highest resolution available.

### Advanced features

Get amazing crisp, clear, high-definition views of the work you've invested your time and talent in creating with presentation features such as 1000:1 contrast ratio, sharp, high graphics resolutions up to 2560 x 1600, 92% color gamut, and an extra-bright wide-format 30-inch screen<sup>1</sup>; Position the monitor for the way you work best—wide 178 x 178 degree viewing angles enable viewable sightlines from anywhere in the room; If you prefer to work simultaneously with multiple units, this monitor's thin bezels allow seamless tiling for uninterrupted panoramic data and graphic displays; Take advantage of smart software—HP Display Assistant lets you adjust the display through software instead of the on-screen display (OSD); Minimize clutter on the desk or mount the monitor flush with the wall, thanks to the integrated power supply that eliminates bulky "power bricks" and improves cable management

### Improved user comfort

Along with a variety of mounting choices, the HP LP3065 monitor helps you achieve the most comfortable viewing position with a height-adjustable base, tilt, and swivel features. With three Dual Link DVI-D interface connectors you can connect up to three different workstations to a single display. The HP Quick Release<sup>2</sup> (included) allows wall mounting once the stand is removed.

### Investment protection

The HP LP3065 monitor helps you maximize your investment protection with easy device connectivity through the built-in USB hub, so you can connect peripherals such as the optional HP Speaker Bar through the monitor instead of at the PC.

### Quality, reliability, and support

The HP LP3065 monitor is just one more product that comes with the HP-standard peace of mind. The monitor is fully tested and qualified for out-of-the-box functionality and compatibility with HP desktops, workstations, and other products. The three-year limited warranty is backed by HP service and support from 65,000 IT service and support professionals in 160 countries around the world.



# HP LP3065 Flat Panel Monitor

<b>Type</b>	Active Matrix TFT (thin film transistor); Anti-glare and anti-static coatings
<b>Viewable image area</b>	30.0 inches diagonal
<b>Viewing angle</b>	178° horizontal, 178° vertical
<b>Brightness</b>	300 nits
<b>Contrast ratio</b>	1000:1
<b>Response rate</b>	6 ms (typical gray to gray), 12 ms (rise and fall)
<b>Dot/Pixel pitch</b>	0.250 mm
<b>Colour depth support</b>	16.7 million colors
<b>Frequency</b>	Horizontal frequency: 100 kHz, Vertical frequency: 60 Hz
<b>Resolution</b>	2560 x 1600 @ 60 Hz (native)
<b>Input signal</b>	Three dual-link DVI-D inputs (Windows PC and graphics card that supports DVI ports with dual-link digital bandwidth and VESA DDC standard for plug-and-play setup requires a DVI-D dual-link graphic card that supports WQXGA (2560 x 1600) resolution.)
<b>Video cable</b>	Two dual-link DVI cables
<b>User controls (on-screen display)</b>	Brightness, input selection
<b>Base features</b>	Tilt range: -5° to + 30° vertical tilt, swivel range: -45° to +45°, height adjust: 100mm, detachable base.
<b>Power consumption</b>	176 watts maximum, 118 watts typical
<b>Power supply</b>	Auto-Sensing, 100 to 240 VAC, 50 +/-3 Hz to 60 +/-3 Hz)
<b>Power Consumption, Standby</b>	2 watts
<b>Dimensions (W x D x H)</b>	Packaged: 79.0 x 37.8 x 56.8 cm, unpacked w/stand: 69.2 x 24.0 x 49.0(min) to 59.0(max) cm, unpacked w/o stand: 69.2 x 8.4 x 45.5 cm
<b>Weight</b>	13.4 kg
<b>Certifications, compliances</b>	Australian ACA Approval, Canadian Requirements/CSA, CE Marking, China CCIB/CCEE Approval, CISPR Requirements, Eastern European Approvals, Energy Star Compliant, FCC Approval, German Ergonomic (TUV and GS Mark), ISO 9241-3,7,8 VDT Guidelines, ISO 13406-2 Pixel Defect Guidelines, Mexican NOM Approval, MIC Requirements (New Zealand), MPRII Compliant, Nordic Approvals (Nemko, Fimko, Demko, Semko), S. Korean MIC Approval, Taiwan BSMI Approval, TCO 99 (emissions, ergonomics, environment), TUV-Ergo, UL Listed, VCCI Approvals, Microsoft® Windows® Certification (Microsoft® Windows® 98, Microsoft Windows 2000, and Microsoft Windows XP)
<b>Warranty</b>	Limited 3 years parts, labour and on-site service, including backlight. Availability varies by region. Certain restrictions and exclusions apply. For details, contact HP Customer Support or Service

<sup>1</sup> All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

<sup>2</sup> The HP Flat Panel Monitor Quick Release has been designed to support a maximum of up to 24 lbs (10.9 kg) depending upon the mounting configuration used. Please note this is a total weight limit for all devices mounted. Mounting fasteners are not supplied (other than the VESA-compliant screws). HP recommends that you consult with a qualified engineering, architectural or construction professional to determine the appropriate type and quantity of mounting fasteners required for your application and to ensure that your mounting solution is properly installed to support applied loads.

© 2006 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation in the United States and/or other countries.

For more information, please visit [www.hp.com/eur/monitors](http://www.hp.com/eur/monitors)



4AA0 - 8713EEE. November 2006

# HP LP3065 Flat Panel Monitor

## Recommended accessories

### HP Flat Panel Speaker Bar



Attach seamlessly to the front bezel of your monitor to add full multimedia support features, including stereo speakers with full sound range and an external jack for headphones.

Product number: EE418AA

### HP Quick Release



A secure and easy-to-use mounting solution for your VESA-compliant HP flat panel monitors, thin clients and other HP desktop products. Attach to any a compatible stand, bracket or wall mount and make the most of your workspace.

Product number: EM870AA



For more information, please visit [www.hp.com/eur/hpoptions](http://www.hp.com/eur/hpoptions)