HP Color LaserJet CP2020 Printer series





Do more colour business printing and in-house marketing with the powerful HP Color LaserJet CP2020 Printer series. Easy to use, with fast speeds up to 20 ppm A4 black and colour, and exceptional colour print quality with HP ColorSphere toner.



HP Color LaserJet CP2025 Printer



HP Color LaserJet CP2025n Printer



HP Color LaserJet CP2025dn Printer

Best suited for unmanaged small and medium-sized business environments, where highly productive personal users and small workteams (from 1 to 8 users) need a fast, reliable colour printer to create professional-looking sales and marketing materials, and general office documents on demand.

Make an impact with professional quality colour documents that promote your business.

Promote your business with professional-looking documents created in-house with improved formula HP ColorSphere toner and Original HP paper. Proven all-in-one HP cartridge design delivers consistent results. See the difference with HP ColorSphere toner: get greater clarity with high gloss, a broader range of bright colours and realistic photo quality. HP ImageREt 3600 enables exceptional colour quality on a variety of media. Do more from the desktop thanks to an innovative, space-saving design.

Achieve your goals with this fast, powerful printer which is both easy to use and maintain.

See results quickly with up to 20 ppm in black and colour. Cut down waiting time:HP Instant-on Technology delivers a fast first page out even from low power mode. Print black pages on your colour laser for the same cost as on your black-and-white laser¹. Save time and money by proofing documents with HP Print View software before you print them. Replace cartridges quickly and simply via one easy-access door. Easily see printer status and navigate the intuitive two-line back-lit control panel.

Get custom business printing in-house, when you need it, with this reliable colour LaserJet printer.

With free HP marketing tools you can easily create high-impact marketing materials on your own, without a design agency or copy shop. Assess costs beforehand for better project planning and decision-making with the HP Print Cost Estimator. Access printer features and status reports for this printer through a single print driver. Rely on dependable network printing with built-in Ethernet/Fast Ethernet networking for easy sharing. Conserve paper and cut costs with automatic two-sided printing².

¹ Compared to HP U P2050 printer series, using HP CE505A Assumes at least 30% of total pages printed in colour, average job length 3 pages Actual yields and costs vary considerably depending on images, number of colour pages and other factors.

² Standard with the CP2025dn.

Technical specifications

Print technology	In-line colour laser printing technology				
Processor	540 MHz, Motorola				
Memory	128 MB, Expandable to 384 MB through addition of 256 MB DDR2 in the single available slot.				
Print resolution	Black: Up to 600 x 600 dpi				
	Colour: Up to 600 x	: 600 dpi			
Print quality	HP ImageREt 3600				
Printer languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation				
Typefaces/fonts	84 scalable TrueType fonts				
Duty cycle (monthly, A4)	Up to 40000 pages				
Recommended Monthly Page Volume	750 to 2000				
Print margins	top: 4.23 mm, left: 4.23 mm, right: 4.23 mm, bottom: 4.23 mm				
Media handling	Input	Capacity	Weight	Size	
•	Tray 1	sheets: 50, transparencies: 50, envelopes: 10	60 to 176 g/m² (up to 220 g/m² with HP Color Laser Glossy Photo papers)	A4, A5, A6, B5 (JIS), 10 x 15 cm, 16K, envelopes (ISO DL, ISO C5, ISO B5), post cards (Standard #10, JIS Single, JIS Double), 76 x 127 to 216 x 356 mm	
	Tray 2	sheets: 250, envelopes: 10	60 to 163 g/m² (up to 176 g/m² with postcards, up to 220 g/m² with HP Color Laser Glossy Photo papers)	A4, A5, A6, B5 (JIS), 10 x 15 cm, 16K, envelopes (ISO DL, ISO C5, ISO B5), post cards (JIS Single, JIS Double), 100 x 148 to 216 x 356 mm	
	Tray 3* *optional on all models	sheets: 250, envelopes: 10	60 to 163 g/m² (up to 176 g/m² with postcards, up to 220 g/m² with HP Color Laser Glossy Photo papers)	A4, A5, A6, B5 (JIS), 10 x 15 cm, 16K, envelopes (ISO DL, ISO C5, ISO B5), post cards (JIS Single, JIS Double), 100 x 148 to 216 x 356 mm	
	Duplex printing:	CP2025:Manual (driver support provided); CP2025n:Manual (driver support provided); CP2025dn:Automatic (standard)		A4	
	Output:	Sheets: Up to 150. Envelopes: Up			
Media types	Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes				
Interface and connectivity	CP2025:Hi-Speed USB port; CP2025n:Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100Base-TX; CP2025dn:Hi-Speed USB 2.0				
-	port; built-in Fast Ethernet 10/100Base-TX				
Network Capabilities	Via On-board internal networking				
Operating systems compatibility	<u>, </u>			Professional x64; Windows Vista®;	
,					
	Online of OS /2 LINIV Line has //www.hs.ass/UCD2020assiss				

Optional: OS/2, UNIX, Linux, http://www.hp.com/support/LJCP2020series

Ordering information

HP Color LaserJet CP2025 CB493A Printer, power cable, CD (user guide, printer software), getting started guide, output tray extension, 4x HP Color LaserJet Introductory Print Cartridges (Cyan, Magenta, Yellow, Black) with HP ColorSphere toner with up to 1,200 pages yield (in accordance with ISO/IEC 19798) HP Color LaserJet CP2025n Printer, power cable, CD CB494A (user guide, printer software), getting started guide, output tray extension, 4x HP Color LaserJet Introductory Print Cartridges (Cyan, Magenta, Yellow, Black) with HP ColorSphere toner with up to 1,200 pages yield (in accordance with ISO/IEC 19798) HP Color LaserJet CP2025dn Printer, power cable, CD (user guide, printer software), getting started guide, output tray extension, 4x HP Color LaserJet Introductory Print Cartridges (Cyan, Magenta, Yellow, Black) with HP ColorSphere toner with up to 1,200 pages yield (in accordance with ISO/IEC

CB495A

Service & support

19<u>798)</u>

UL381E HP Care Pack, Return to Depot Service, 2 years **UL382E** HP Care Pack, Return to Depot Service, 3 years
UL389PE HP Care Pack, Post-Warranty Return Service, 1 year
UL386E HP Care Pack, Next Business Day Onsite Support, 1 year
UL387E HP Care Pack, Next Business Day Onsite Support, 2 years UL388E HP Care Pack, Next Business

year H4513E HP Care Pack, Installation Personal LaserJet Service H3110E HP Care Pack, Network Installation Personal LaserJet Service, 1

Day Onsite Support, 3 years **UL392PE** HP Care Pack, Post-Warranty Next Business Day Onsite Service, 1

Technical specifications

•	
Network operating systems compatibili	ity Microsoft® Windows® 2000, XP Home, XP Professional, XP 64-Bit, Server 2003/2008; Windows Vista®; Mac OS X v10.28, v10.3, v10.4, v10.5; RED HAT/SUSE Linux 6.x or higher; Novell® NetWare 3.2 or higher (NDPS-TCP/IP only); Citrix® MetaFrame; Windows® Terminal Services; (note: not all protocol and operating system configurations are supported. For more information, go to http://www.hp.com/support/net_printing), optional: Microsoft® Windows® XP Professional x64, XP Tablet PC, Server 2003 (32/64 bit)
Minimum system requirements	Microsoft® Windows® 2000, Server 2003: any Pentium® II processor or higher, 64 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; (print driver only). Microsoft® Windows® XP-32 Home, XP-32 Professional: any Pentium® II processor (Pentium® III or higher recommended), 128 ME RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher, CD-ROM drive, USB port; (full install). Microsoft® Windows® XP-x64: any Pentium® III processor (Pentium® III or higher recommended), 128 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; (print driver only). Windows Vista®-32 Home, -32 Professional: 1 GHz processor, 512 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; (full install). Windows Vista®-64: 1 GHz processor, 512 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; (full install), Mac OS X v10.2.8, v10.3, v10.4 or higher; PowerPC G3, G4, G5, or Intel® Core processor; 150 MB available hard disk space; CD-ROM drive; USB port
Software	Print driver (HP PCL 6), Toolbox configuration utility, SNP alerts, DTSS, media educator video, and installation software on CD-ROM.
Control panel	Backlit, 2-line, 16-character front panel display, 5 buttons (Cancel job, Left arrow, Right arrow, Select, Back); 2 LEDs (Attention, Ready)
Printer management	Toolbox (recommended install) or SNP (express install)
Upgradability	Memory upgradeable to 384 MB, optional 250-sheet tray, one additional tray may be added
Power	Requirements: Input voltage 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Consumption: 445 watts maximum (active), 18 watts maximum (ready), 6.7 watts maximum (sleep), 0.48 watts maximum (office).
Dimensions (w x d x h)	Out of package: CP2025:405 x 454 x 322 mm; CP2025n:405 x 454 x 322 mm; CP2025dn:405 x 484 x 322 mm Packaged: CP2025:600 x 500 x 479 mm; CP2025n:600 x 500 x 479 mm; CP2025dn:600 x 500 x 515 mm
Weight	Out of package: CP2025:22.7 kg; CP2025n:22.7 kg; CP2025dn:23.9 kg Packaged: CP2025:26.4 kg; CP2025n:26.4 kg; CP2025dn:28.2 kg
Operating environment	Operating temperature: 15 to 30° C. Recommended operating temperature: 15 to 27° C. Operating humidity: 10 to 80% RH. Recommended operating humidity: 20 to 70% RH. Storage temperature: -20 to 40° C. Storage humidity: 10 to 95% RH. Noise level per ISO 9296: Sound power: LwAd6.6 B(A) (printing at 20 ppm), 3.1 B(A) (ready). Sound pressure: LpAm53 dB(A) (active), inaudible (ready)
Product certifications	Safety certifications: IEC 60950-1 (International), EN 60950-1+A11 (EU), IEC 60825-1+A1+A2, UL/cUL Listed (US/Canada), GS License (Europe), EN 60825-1+A1+A2 (Class 1 Laser/LED Device) GB4943-2001, Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries EMC certifications: CISPR 22: 2005/EN 55022: 2006 Class B, EN 61000-3-2: 2000+A2, EN 61000-3-3: 1995+A1, EN 55024 1998+A1+A2, FCC Title 47 CFR, Part 15 Class B (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries
Warranty	One-year, return to authorised service centre, limited warranty. Warranty and support options vary by product, country and local legal requirements.

Ordering information

	Accessories
CB500A	HP Color LaserJet 250-sheet
	Input Tray
CB421A	HP 64 MB DDR2 144-pin
	DIMM
CB422A	HP 128 MB DDR2 144-pin
	DIMM
CB423A	HP 256 MB DDR2 144-pin
CD-12O/1	DIMM
	Laser Printer Supplies
CC530A	HP Color LaserJet CC530A
	Black Print Cartridge
	Average continuous Black
	Cartridge yield 3,500
	standard pages. Declared
	yield value in accordance
	with ISO/IEC 19798.*
CC531A	HP Color LaserJet CC531A
	Cyan Print Cartridge
	Average continuous
	composite
	Cyan/Yellow/Magenta
	Cartridge yield 2,800
	standard pages. Declared
	yield value in accordance
	with ISO/IEC 19798.*
CC532A	HP Color LaserJet CC532A
	Yellow Print Cartridge
	Average continuous
	composite
	Cyan/Yellow/Magenta
	Cartridge yield 2,800
	standard pages. Declared
	yield value in accordance
	with ISO/IEC 19798.*
CC533A	HP Color Laserlet CC533A

Magenta Print Cartridge
Average continuous

composite Cyan/Yellow/Magenta Cartridge yield 2,800 standard pages. Declared yield value in accordance with ISO/IEC 19798.*

Connectivity ed USB Cable (6

Q6264A HP Hi-Speed USB Cable (6 ft./1.8 m)

For a complete list of supplies, accessories and services, please refer tohttp://www.hp.com

http://www.hp.com/uk















